



ZAKŁAD TECHNIKI
MEDYCZNEJ

TECHMED

Spółka z o.o.



tables for medical equipment

treatment trolleys

dressing trolleys

reanimation carts

anesthetic carts

multifunctional carts

treatment tables for neonatal care

medical furniture

power units

electric and gas units

anaesthesiological columns

surgical columns

screens

drip IV poles

trolleys for waste or dirty linen

stools

instrumental tables

stands for the care of newborns

baby cribs

racks for slipper pants and urinals

PRODUCT CATALOG

2018



1. INNOVATIONS

1.1 New products	4
------------------------	---

2. MEDICAL CARTS AND TROLLEY SYSTEMS

2.1 Medical equipment carts	7
2.1.1 Work tables	14
2.2 Medical equipment carts	15
2.3 Multifunctional carts	19
2.3.1 OPTIMUM series carts - accessories	20
2.3.2 Treatment carts	21
2.3.3 Resuscitation carts	22
2.3.4 Procedural carts	23
2.3.5 Anaesthetic carts	24
2.3.6 Resuscitation carts	26
2.3.7 Multifunctional carts	28
2.4 Treatment tables	29
2.5 Instrumental tables	33
2.6 Ward multifunctional tables	36
2.7 Assistant cabinets	43
2.8 Transport trolleys	46
2.8.1 Trolleys for the transport of clean and dirty linen	48
2.8.2 Multifunctional trolleys	49
2.8.3 Trolleys for waste or dirty linen	50
2.9 Basket trolleys, mobile tables and racks	52
2.9.1 Basket trolleys	53
2.9.2 Racks	54
2.9.3 Racks and tables	56
2.9.4 Racks and trolleys	57
2.9.5. Racks and hangers	58

3. BASIC MEDICAL EQUIPMENT

3.1 Drip IV pole stands	60
3.2 Stands for drip IV pole and medical equipment	61
3.3 Telescopic drip IV poles	62
3.4 Telescopic screens	63
3.5 Mobile screens	64
3.4 Stands and foot stools	67
3.5 Stools	68
3.6 Rehabilitation tables and injection chairs	69
3.7 Bedside cabinets	70
3.8 Bedside tables	72

4. PRODUCTS FOR NEONATAL WARD

4.1 Baby cribs	74
4.2 Treatment tables	76
4.3 Baby nursing stations	80
4.4 Scales and oxypods	82

5. MEDICAL AND LABORATORY FURNITURE ALUMED SYSTEM

5.1 Medical cabinets	84
5.2 Hanging and standing cabinets	85
5.3 Containers, desks and counters	86
5.4 Laboratory furniture LAB A i C	87

6. RAIL SYSTEM

6.1 Rails and rail holders	89
6.2 Rail equipment	90
6.3 Holders for the monitors, shelves	92
6.4 PMS rail system / ICU trolley	93

7. SPECIALIST MEDICAL EQUIPMENT

7.1 Medical supply units	95
7.2 Equipment of medical containers	96

8. SAMPLE-CARDS 98**9. PROJECTS** 100

ABOUT THE COMPANY

Zakład Techniki Medycznej „TECH-MED” Sp. z o.o. (Medical Technology Company „Tech-Med” Ltd.) is a **Polish manufacturer of the specialized medical equipment**. We have been supplying our products to hospitals and other medical institutions both at home and abroad (Europe, Africa, America,) **for 20 years**. The success of our company is a combination of **knowledge, many years of experience and innovative approach**, which allowed for the creation of a **modern line of products using the latest technology**.

We hope that the **high quality and durability of our products** and the **high flexibility in adjusting the products to your individual needs** will help you to select the medical products, which will meet all your expectations (**as a producer we have the possibility to modify products!**).

For many years we have had a Quality Management System PN-EN ISO 13485: 2012 for medical devices.

In addition, we provide a full service of warranty and post-warranty services for own brand products. To meet the expectations of our customers, we have expanded our offer with the products of recognized domestic and European producers.

Experienced team

ZTM „TECH-MED” Sp. z o.o. company's largest capital is People who create it.

The most important is the product!

High quality and durability of our products and attractive design are our priority and the main goal we set ourselves each day!

Technical consultancy

Thanks to the experienced Team of Specialists, sales at ZTM „TECH-MED” are always connected with professional advice and technical support.

We invite you to familiarize yourself with our product offer.

INNOVATIONS





NON-MAGNETIC PRODUCTS

Innovative products made of non-magnetic materials, adapted for use in the vicinity of magnetic resonance, not interfering with its work.



Rehabilitation tables



Stands for medical equipment



Multifunctional carts



Mobile screens

PRODUCTS WITH REGULATION OF HEIGHT USING A GAS SPRING

The new solution is the use of a gas spring to adjust the height or tilting angle of a specific element in the product by a foot pedal or a manual lever.



Carts for medical equipment



Bedside tables



Neonatal cribs

PRODUCTS WITH ELECTRIC ADJUSTMENT OF HEIGHT




Treatment tables for newborns

Innovative products with electric drive enabling height adjustment using an electric actuator.



Work tables



Carts for medical equipment



Instrumental tables

PRODUCT WITH ELECTRIC DRIVE



Transport trolleys

Transport trolleys with electric drive of an additional self-propelled wheel, are facilitating and assisting in operating the trolleys.

MEDICAL CARTS AND TROLLEY SYSTEMS



MEDICAL EQUIPMENT CARTS



APAR-1



APAR-2




APAR-3



APAR-4



APAR-1 SERIES



The elements of the **APAR series** are made of:

frame made of powder-coated aluminium profile, allowing any adjustment of the placement of drawers and shelves as well as installation of additional equipment

steel shelf and drawer, powder coated

top with deepening to prevent equipment from slipping

decorative elements powder coated in colour according to RAL palette, TECHMED sample-card
steel base with a cover made of ABS plastic, equipped with castors with a diameter of 75 mm, including two with a blockade

Additional equipment: power strip, monitor holder, accessories basket, instrumental rail, cable arm, IV drip, articulated arm, keyboard shelf, waste bag holder, oxygen bottle holder, retractable side top for a mouse

Dimensions of the cart without optional equipment:

length: **550 mm** [L]

width: **550 mm** [S]


height of cart: **800-1800 mm** [H]

the height of the cart adjustable with

a gas spring: **adjustment range: ±150 mm**

dimensions of top / shelf: **450 x 320 mm** [L x S]

dimensions of the drawer: **450 x 320 x 155 mm** [L x S x H]



Examples of trolley

Height adjustment using a gas spring



AP-3 with height adjustment



AP-2



AP-1 with equipment



AP-3 with equipment



AP-4 with equipment



AP-4 with equipment



AP-5 with equipment



AP-3 with equipment



AP-3 with equipment



AP-5 with equipment



AP-5 with equipment

www.techmed.com.pl
MEDICAL CARTS AND TROLLEY SYSTEMS

* It is possible to modify the product according to the individual customer's needs.

APAR-2 SERIES




Cart dimensions without an optional equipment:

length: **550, 600, 650, 700 mm [L]**
width: **600 mm [S]**
height of trolley: **800-1800 mm [H]**
height adjustable with electric actuator in the range of:
adjustment range: ±250 mm [H]
available lengths of the top / shelf: **450, 500, 550, 600 mm [L]**
width of the top/shelf: **500 mm [S]**


Additional equipment: power strip, monitor holder, accessories basket, instrument rail, top section for plastic tilting containers, cable arm, drip IV, articulated arm, keyboard shelf, waste bag holder, holder for bottle with oxygen

Option: single castors with a diameter of 75 mm



Examples of trolley

Innovative cart for medical equipment with electric drive enabling height adjustment by means of an electric actuator.



AR120-2 with height adjustment



AR80-4



AR140-4 with equipment



AR80-3N with equipment




AR80-3N



AR120-2N



AR120-3N



AR80-4N with equipment



AR80-3N with equipment



AR80-4N with equipment


APAR-3 SERIES



Dimensions of the cart without optional equipment:

length: **1200 mm [L]**
width: **600 mm [S]**
height: **800- 1400 mm [H]**
Worktop dimensions: **1100 x 500 mm [L x S]**
dimensions of shelves and drawers: **500 x 500 mm or 450 mm x 500 mm [L x S]**

Additional equipment: power strip, monitor holder, accessories basket, instrument rail, top-up with hinged or open containers, articulated arm of the cables, drip IV-boom, swing arm, keyboard shelf, waste bag holder, oxygen bottle holder



Examples of carts



PAR80-1



PAR100-1



PAR100-2



PAR120-5 with equipment



PAR100-4N with additional equipment



PAR120-2N

* It is possible to modify the product according to the individual customer's needs.

APAR-4 SERIES



APA120-6
with additional equipment

Elements of the **APAR-4 series tables** are made of:
frame made of aluminium, powder coated, allowing any adjustment of shelves placement and installation of additional equipment
base, top, drawers and **cabinet** made of steel, powder coated
decorative elements powder coated in colour according to RAL palette - TECHMED sample-card

Additional equipment: power panel, power strip, lighting, pull-out keyboard drawer, monitor holder, accessories basket, instrument rail, top section with plastic titling containers, shelf above the top, shelves

Total dimensions:
length of the table: **860, 1060, 1260, 1460 mm [L]**
width of the table: **750 mm [S]**
height of the table: **800 mm [H]**
table height adjusted by an electric actuator in the range:
adjustment range: ±250 mm [H]
total height: **800, 1200, 1400, 1800 mm**
available lengths of the worktop: **800, 1000, 1200, 1400 mm**
available widths of the worktop: **700 mm**

Examples of tables



APA80-2N



APA120-2N



APA140-3N

Innovative work tables with electric drive for height adjustment using an electric actuator.



APA120-1N with height adjustment



APA120-3N with height adjustment



MEDICAL EQUIPMENT CARTS



K-1



ECO



TOP



MOD



K-1 SERIES



G-001

Elements of the **K-1 series carts** are made of:

frame made of aluminium, powder coated, allowing any adjustment of shelves placement and installation of additional equipment

table top, drawer and base made of steel, powder coated, top with deepening to prevent equipment from slipping

base is equipped with 75 mm castors, including two with a blockade

Additional equipment: power strip, drip IV and cable arm, instrumental rail, accessories basket, articulated arm

Option: powder coated in colour according to RAL palette - TECHMED sample-card

Dims. of the cart without optional equipment: 530 x 400 x 800 mm [L x S x H]

Top/shelf dimensions: 450 x 320 mm [L x S]

Dimensions of the drawer: 450 x 320 x 155 mm [L x S]



G-002



G-003



G-004

Total dimensions: 530 x 400 x 900 mm

[L x S x H]

Top / shelves dimensions: 450 x 320 mm

[L x S]



G-005



G-006

Total dimensions:

530 x 400 x 900 mm

[L x S x H]

Top / shelves dimensions:

450 x 320 mm [L x S]

Total dimensions:

530 x 400 x 1200 mm

[L x S x H]

Top / shelves dimensions:

450 x 320 mm [L x S]



G-007



G-008

Total dimensions: 790 x 420 x 800 mm

[L x S x H]

Top / shelves dimensions: 700 x 400 mm

[L x S]

K-1 LUX SERIES



G-002LUX

Elements of the **K-1LUX series carts** are made of:

frame made of powder-coated aluminium profile, allowing any adjustment of the spacing of shelves, drawers and installation of additional equipment,

Table top, drawers and cabinets made of steel, powder coated in colour according to RAL palette - TECHMED sample-card; top with deepening to secure the equipment from slipping,

steel **base** with a cover made of ABS plastic equipped with 75 mm castors, including two with a blockade.

Additional equipment: power strip, drip IV and cable arm, instrumental rail, accessories basket, WKP articulated arm.

Option: top and shelves made of HPL laminate

Dims. of the table without optional equipment: 550 x 470 x 900 mm [L x S x H]

Top / shelf dimensions: 450 x 320 mm [L x S]

Dimensions of the drawers: 450 x 320 x 320 mm [L x S x H]



G-005 HPL LUX with
HPL laminate top



G-009LUX with equipment



G-003LUX with equipment



G-004 B LUX

The elements of the **ECO, TOP, MOD series carts** are made of:
frame made of powder coated aluminum profile
steel base and shelf, powder coated in white
shelf with raised edge (ECO, MOD)
shelf with raised rear edge, at sides and front - metal sheet bent downwards (TOP series)
base is equipped with 50 mm castors, including two with a blockade
carts for self-assembly (easy assembly)
 possibility of independent selection of spacing between shelves

Additional equipment: power strip, accessory basket, instrumental rail

ECO SERIES



ECO-1 with a basket



ECO-2 with power strip



ECO-2



ECO-3



ECO-4

Total dimensions: 500 x 460 x 1000 mm [L x S x H]

Top dimensions: 450 x 350 mm [L x S]

Dimensions of the shelf: 400 x 260 mm [L x S]

TOP SERIES



TOP-1



TOP-2



TOP-3



TOP-4

Total dimensions: 530 x 400 x 900 mm [L x S x H]

Top/shelf dimensions: 450 x 320 mm [L x S]

MOD SERIES



MOD-1



MOD-1 with power strip and basket



MOD-2



MOD-3

Total dimensions: 735 x 400 x 900 mm [L x S x H]

Top/shelf dimensions: 655 x 400 mm [L x S]

* It is possible to modify the product according to the individual customer's needs.

MULTIFUNCTIONAL CARTS



OPTIMUM



ANS




REN



MULTI



OPTIMUM SERIES - ACCESORIES



Exemplary equipment of the OPTIMUM series cart



Openwork drawer B



Holder for oxygen bottle



Soap dispenser



Caster without brake **KL-05**
Caster with brake **KL-06**
diameter of the caster 125 mm



Central lock for drawers



Openwork drawer A



Insert for a drawer made of ABS plastic without division
WSZ-01/70 - 200



Board for carrying out CPR



Pull-out dividers for drawers that fit into the drawer's interior



Insert for a drawer made of ABS plastic with internal division for 3 and 4 parts
WSZ-02/70 - 140, WSZ-03/70 - 140



Hanger with 2 hooks for drip or drain with adjustable height
WK-02



PC2-03 Double catheter plastic containers

length: 115 mm
width: 115 mm
height: 500 mm



Basket for catheters
PC-04



Small basket for accessories
KR-02KO length: 293 mm
width: 95 mm
height: 85 mm



Big basket for accessories
KR-01KO length: 360 mm
width: 160 mm
height: 150 mm



Knee-opening waste container
KK-01 (8l) or **KK-02** (20l)



Plastic waste container with swing lid



Container for tools
UPP-03KO length: 325 mm
width: 175 mm
height: 40 mm



Titling bowl **UPO-03KO**

length: 100 mm
width: 115 mm
height: 230 mm



Container for gloves box
PR-01



Container for used needles
PZI-03 diameter: 145 mm
height: 50 mm



OZ-1ABSb with equipment

OPTIMUM SERIES Z TYPE

Elements of **OPTIMUM Z series (treatment) carts** are made of: steel powder-coated **cabinet, shelf**
frame made of frame coated aluminium profile in white colour
worktop made of ABS plastic with rims on 3 sides, with the deepening
worktop made of ABS plastic or powder-coated steel, retractable front of cart
 steel **base** with a cover made of ABS plastic, with ribbing, with protection against sliding of the equipment and with integrated buffers, the base equipped with 125 mm castors, including two with a blockade
decorative elements, drawer fronts, handles powder coated according to RAL palette - TECHMED sample-card

Option: upper deck of stainless steel grade: 0H18N9 (AISI 304) or steel powder coated

Additional equipment: tilting containers, shelves, baskets for accessories, waste bowls, tool containers, glove containers, containers for used needles, catheter baskets, waste bin, drip hanger, oxygen bottle holder, power strip

Dimensions of the cart without additional equipment:

700 x 560 x 1000 mm [L x S x H]

Cabinet's dimensions: 600 x 500 mm [L x S]

Height from the ground to the worktop: 1000 mm [H]

Hight of trolley with top section: 1700 mm

Dimensions of the shelf: 600 x 500 mm



OZ-2ABS with equipment



OZ-2ABS with equipment



OZ-2ABS with equipment



OZ-2STb with equipment



OZ-2ABSb with equipment



OZ-3ABSb with equipment

* It is possible to modify the product according to the individual customer's needs.

OPTIMUM SERIES R TYPE



OR-3ABS with equipment

Elements of the **OPTIMUM series R type** (resuscitation) carts were made of:
steel cabinet, shelf powder coated
frame made of powder coated aluminium profile in white colour
worktop made of ABS plastic with rims on 3 sides, with deepening
worktop made of ABS plastic or steel powder coated, pulled out from the front of the cart
steel base with a cover made of ABS plastic, with deepening in order to prevent equipment from sliding off and with integrated buffers, the base equipped with 125 mm castors, including two with a blockade
decorative elements, fronts of drawers, handles powder coated according to RAL palette - TECH-MED sample-card

Additional equipment: defibrillator shelf, retractable table top, directional wheels, CPR board, drip IV hanger, accessories baskets, tool containers, glove box holder, containers for used needles, catheter baskets, waste bin, defibrillator shelf, board for carrying CPR, holder for bottle with oxygen, power strip

Option: worktop of stainless steel grade. 0H18N9 (AISI 304) or steel powder coated

Dimensions of the cart without additional equipment:

700 x 560 x 1000 mm [L x S x H]


Cabinet's dimensions: 600 x 500 mm [L x S]

Height from the ground to the worktop: 1000 mm

Dimensions of the shelf: 600 x 500 mm [L x S]



OR-3ABS with equipment



OR-3ABS with equipment



OR-1ABSb with equipment



OR-2ABS with equipment



OR-2ABS with equipment



OR-2ABS with equipment

OPTIMUM SERIES P TYPE



OP-2ABSb with equipment

Elements of the OPTIMUM series P type carts (procedural) are made of:
steel cabinet, shelf powder coated
frame made of powder coated aluminium profile in white colour
worktop made of ABS plastic with rims on 3 sides, with deepening
worktop made of ABS plastic or steel powder coated, pulled out from the front of the cart
steel base with a cover made of ABS plastic, with deepening in order to prevent equipment from sliding off and with integrated buffers, the base equipped with 125 mm castors, including two with a blockade
decorative elements, drawer fronts, handles powder coated according to RAL palette - TECHMED sample-card

Additional equipment: accessories baskets, waste bowls, tool containers, glove box holder, used needles containers, catheter baskets, waste bin, power strip, retractable side worktop

Option: worktop of stainless steel grade. 0H18N9 (AISI 304) or steel powder coated

Dimensions of the cart without additional equipment:

700 x 560 x 1000 [L x S x H]

Cabinet's dimensions: 600 x 500 mm [L x S]

Height from the ground to the worktop: 1000 mm

Dimensions of the shelf: 600 x 500 mm [L x S]



OP-2ABS



OP-2KO



OP-2ST



OP-3ABSb with equipment



OP-2ABS with equipment



OP-3ABSb with equipment



OP-2ABS with equipment

ANS SERIES



ANS-05/ABS with equipment

Elements of **ANS series carts** are made of:
steel **cabinet**, powder coated in colour according to RAL palette - TECHMED sample-card
ABS plastic **worktop** with deepening, surrounded by 3 bands
steel **base** with a cover made of ABS plastic, equipped with 125 mm castors, including two with a blockade

Equipment and additional accessories:

- retractable side worktop
- top section with plastic titling containers
- top section with central locking
- adjustable IV pole with hooks
- instrumental rail for attaching equipments
- plastic waste bin with the possibility of blocking the lid in a vertical position
- waste bag holder with a cover and a clamping ring fastening the bag
- container for glove box
- container for used needles
- catheter basket / catheter container
- waste bowl
- basket for accessories
- container for tools
- cabinet with drawers closed with a central lock
- tripple glove box container

Cabinet's dimensions:

length: **600 mm [L]**
width: **500 mm [S]**
height from the ground to the worktop: **1000 mm [H]**
height of cart with top section: **1700 mm [H]**

Cabinet models:



ANS-01



ANS-03



ANS-04



ANS-05



ANS-06

Sample implementation:



Standard:
steel cabinet, powder coated in colour according to RAL palette
worktop and base cover made of ABS plastic



Option ST:
cabinet is entirely steel, powder coated in colour according to the RAL palette - TECHMED sample-card



Option KO:
cabinet entirely of stainless steel grade. 0H18N9 (AISI 304)



Non-magnetic option:
aluminium cabinet

Option: double-layer cabinet walls with thermal and acoustic insulation (honeycomb), dust-proof drawers with gasket, smooth surfaces, rounded edges

* It is possible to modify the product according to the individual customer's needs.

Examples of cabinet configurations made in double-layer wall technology with thermal and acoustic insulation (Honeycomb):



ANS-04



ANS-04



ANS-04



ANS-06/ABS



ANS-06/ABS



ANS-06/ABS

Examples of configuration of cabinets made of stainless steel grade 0H18N9 (AISI 304), including the varnished front of the drawers in the selected RAL colour TECH-MED sample-card:



ANS-03



ANS-04



ANS-05



ANS-05



ANS-05



ANS-03

REN SERIES



REN-02/ABS with equipment

Elements of **REN series carts** are made of:
steel **cabinet**, powder coated in colour according to RAL palette
ABS plastic **worktop** with deepening, surrounded by 3 bands
steel **base** with a cover made of ABS plastic, equipped with 125 mm castors,
including two with a blockade

Option: cart made of stainless steel with fronts of cabinets varnished in colour according to RAL palette TECHMED sample-card

Equipment and additional accessories:

- retractable side worktop
- holder for bottle with oxygen
- board to carry out CPR
- defibrillator shelf
- adjustable IV pole with hooks
- instrumental rail for mounting accessories
- plastic waste bin with the possibility of blocking the lid in a vertical position
- waste bag holder with a cover and a clamping ring fastening the bag
- container for glove box
- container for used needles
- catheter basket / catheter container
- waste bowl
- basket for accessories
- container for tools
- cabinet with drawers closed with a central lock
- tripple glove box container

Cabinet's dimensions:

length: **600 mm** [L]
width: **500 mm** [S]
height from the ground to the worktop: **1000 mm** [H]
height of open usable space **370 mm** [H]

REN-06 cabinet's dimensions:

length: **700 mm** [L]
width: **500 mm** [S]
height from the ground to the worktop: **1000 mm** [H]

Cabinet models:



REN-02



REN-03



REN-04



REN-06

Standard:

steel cabinet, varnished in colour according to RAL palette
worktop and base cover made of ABS plastic

Option:

cabinets made in the Honeycomb technology



REN-02/ABS



REN-01/ABS



REN-02/ABS with three drawers



Custom-made

Examples of cart configurations:



Option KO:
cabinet entirely of stainless
steel grade. 0H18N9
(AISI 304)



* It is possible to modify the product according to the individual customer's needs.

MULTI SERIES



MULTI-03/ABS with equipment

Elements of **MULTI series carts** are made of:

steel **cabinet**, powder coated in colour according to RAL palette TECHMED sample-card
ABS plastic **worktop** with deepening, surrounded by 3 bands
steel **base** with a cover made of ABS plastic, equipped with 125 mm castors, including two with a blockade

Equipment and additional accessories:

- retractable one or two side worktops
- retractable cuvettes with different capacities inside the cabinet
- retractable baskets of various sizes inside the cabinet
- basket for catheters
- instrumental rail for mounting accessories
- plastic waste bin with the possibility of blocking the lid in a vertical position
- waste bag holder with a cover and a clamping ring fastening the bag
- container for glove box
- container for used needles
- basket for accessories
- top section with plastic tilting containers
- soap dispenser
- cabinet with drawers closed with a central lock
- tripple glove box container

Option: cabinet made in technology of double-layer walls with thermal and acoustic insulation (Honeycomb)

Cabinet's dimensions:

available lengths: **400, 600, 700, 800, 900 mm** [L]

width: **500 mm** [S]

height from the ground to the worktop: **1000 mm** [H]

Cabinet/drawers dimensions to be agreed with the ordering party. The possibility of using baskets or cuvettes with dimensions of 400 x 300 mm.

Cabinet models:



MULTI-01

length of the cabinet:
355 mm [L]

Options:



MULTI-02

length of the cabinet:
600 mm [L]



MULTI-03

length of the cabinet:
800 mm [L]



MULTI-04

length of the cabinet:
700 mm [L]



MULTI-06

length of the cabinet:
900 mm [L]



Standard:

steel cabinet, powder coated in RAL colour,
worktop and base cover made of ABS



Option ST:

the cabinet is entirely steel, powder
coated in colour according to the RAL
palette



Option KO:

cabinet made entirely of stainless steel
grade. 0H18N9 (AISI 304)

TREATMENT TABLES



STKO



STKO SERIES



STKO series treatment tables are made entirely of stainless steel, type 0H18N9 (AISI 304), **frame** made of a square bent section with integrated instrumental rails to mount additional equipment, equipped with castors with a diameter of 100 mm, with buffers, including two with a blockade
top/shelf with deepening to prevent equipment from sliding off
handles for rolling the table are placed on both sides of the table at shorter sides and are an integrated part of the frame

Additional equipment: over worktop shelf, titling waste bowl, accessories basket, catheter basket, hanger for drip IV or cables, waste bag hanger with lid, container for glove box.

Option: powder-coated fronts in colour according to RAL palette

Available worktop lengths: 450, 500, 550, 600, 1100 mm [L]

STKO-01/A (KO)



STKO-01/B (KO) with equipment



STKO-01/B (KO) with equipment



STKO-01/C (KO)



STKO-01/F (KO) with equipment



STKO-01/C (KO)



STKO-01/C (KO)



STKO-01/C (KO)



STKO-01/C (KO)



STKO-01/F (KO)



STKO-02/E (KO)

Dimensions of the table without optional equipment:
500 x 500 x 900 mm [L x S x H]
Top / shelf dimensions: 450 x 500 mm [L x S]
Height of the table with the top section: 1600 mm [H]
*(dimensions of the worktop affects the overall dimensions of the table)

Designation of material:
KO stainless steel grade 0H18N9 (AISI 304)
ST powder varnished steel



STKO-04 (KO)



STKO-04/A (KO)



STKO-04/B (KO)



STKO-04/E (KO)

Dimensions of the table without optional equipment: 1150 x 500 x 900 mm [L x S x H]
Top / shelf dimensions: 1100 x 500 mm [L x S]

* It is possible to modify the product according to the individual customer's needs.

STKO SERIES ST TYPE

The treatment tables of the STKO series are made of powder coated steel, frame from a square bent section with integrated instrumental rails for mounting additional equipment, with castors of 100 mm diameter, with buffers, including two with a blockade. top / shelf with deepening to prevent equipment from sliding off handles for rolling the table are placed on both sides of the table at shorter sides and are an integrated part of the frame

Additional equipment: over worktop shelf, titling waste bowl, accessories basket, catheter basket, hanger for drip IV or cables, waste bag hanger with lid, container for glove box. Colours of tables: a selected colour according to the RAL palette - Tech-Med sample-card.

Dimensions of the STKO-01 table without optional equipment:

500 x 500 x 900 mm [L x S x H]

Top / shelf dimensions: 450x500 mm [L x S]

Height of the table with the top section: 1600 mm [H]

Dimensions of the STKO-04 table without optional equipment:

1150x500x900 mm [L x S x H], top/shelf dimensions: 1100x500 mm [L x S]

Available top / shelf lengths: 450, 500, 550, 600, 1100 mm [L]

*(the size of the worktop affects the overall dimensions of the table)



STKO-01/A (ST)



STKO-01/B (ST)



STKO-01/B (ST) with equipment



STKO-01/B (ST) with equipment



STKO-01/B (ST) with equipment



STKO-01/C (ST)



STKO-01/D (ST)



STKO-01/F (ST)



STKO-02/E (ST)



STKO-04 (ST)



STKO-04/A (ST)



STKO-04/B (ST)



STKO-04/D (ST)



STKO-04/E (ST)



STKO-04 (ST) with equipment

* It is possible to modify the product according to the individual customer's needs.

SZ SERIES



SZ-01K0

Total dimensions: 740 x 440 x 810 mm
[L x S x H]

SZ series table elements are made of:
frame of stainless steel grade 0H18N9 (AISI 304) equipped with castors with a diameter of 50 mm, including two with a blockade
top / shelf of stainless steel grade 0H18N9 (AISI 304), straight tilting stainless steel **bowl**

Option: frame made of steel tubes, powder coated in white



SZ-02K0

Total dimensions: 740 x 440 x 810 mm
[L x S x H]

SX SERIES



SX-01K0

SX series table elements are made of:
frame made of stainless steel tubes, grade 0H18N9 (AISI 304), equipped with castors with 50 mm diameter, including two with a blockade
removable **top / shelf** made of stainless steel grade 0H18N9 (AISI 304) or of ABS plastic

Option: steel frame powder coated in colour according to RAL palette

Additional equipment: waste bowl, waste bag holder

Total dimensions: 740 x 400 x 950 mm [L x S x H]
Top / shelf dimensions: 630 x 400 mm [L x S]

Designation of material:
KO stainless steel grade 0H18N9 (AISI 304)
ST powder varnished steel



SX-02K0



SX-03ST

INSTRUMENTAL TABLES



E-01



E-01/E



E-02



E-03



K-4 SERIES MAYO TYPE



E-01KO

E-01KO table is made entirely of stainless steel, grade 0H18N9 (AISI 304), **worktop** with deepening (16 mm), **horizontally rotatable by 360°**, with rotation lock, height adjustable hydraulically in the range of **960-1330 mm** with a foot pedal **base** equipped with single castors with a diameter of 75 mm with a blockade

Option with additional charge: removable - detachable top for easy disinfection, disassembled by one movement of the lever, double castors of 100 mm in diameter with a blockade

Total dimensions:
750 x 500 x 960-1330 mm
[L x S x H]

Worktop dimensions: 750 x 500 mm
[L x S]



Option: a table equipped with double castors with a diameter of 100 mm



Max. load: 10 kg



Max. load: 15 kg



E-01KO i E-01KO-E with a removable worktop

K-4 SERIES - ELECTRIC


The only instrumental table in the market with electric drive, which makes it possible to raise and lower the table top by means of an electric actuator controlled by foot-operated buttons placed in the base of the table. It has a built-in battery pack with 24 V safe voltage, an automatic overload fuse and an optical-sound system indicating low battery charge. Equipped with an external battery charger, which allows for unattended operation, signaling the completed charging process.

Table E-01KO / E made entirely of stainless steel, grade 0H18N9 (AISI 304), equipped in single castors with a diameter of 75 mm with a blockade.

Worktop with deepening, rotated horizontally by **360°**, with rotation lock.

Height adjustment by electric hoist in the range **930-1370 mm**.

Option with additional charge: removable - detachable top for easy disinfection, disassembled by one movement of the lever, double castors of 100 mm in diameter with a blockade



E-01KO/E

Total dimensions: **750 x 500 x 930-1370 mm**
[L x S x H]

Worktop dimensions: 750 x 500 mm
[L x S]

Option: a table equipped with double castors with a diameter of 100 mm



K-4 SERIES E-02 TYPE

Elements of **E-02 type tables** made of:
worktop of stainless steel grade 0H18N9 (AISI 304), **with lifted up edges (10 mm) or deepening (16 mm)**, height manually adjusted in the range of **850-1300 mm**
steel **base**, powder coated or of stainless steel grade 0H18N9 (AISI 304), equipped with castors with a diameter of 75 mm

Total dimensions:
800 x 500 x 850-1300 mm
[L x S x H]
Worktop dimensions: 750 x 500 mm
[L x S]



E-02ST



E-02KO



E-02KO with a deepened top



E-02ST/FR with a flat top



E-02KO/FR with a flat top

Total dimensions: 600x400x900-1500 mm [L x S x H]
Worktop dimensions: 600x400 mm [L x S]

K-4 SERIES E-03 TYPE

Table E-03 is made entirely of stainless steel grade 0H18N9 (AISI 304)
worktop with deepening, height adjusted manually by means of a **crank** in the range of 850-1200 mm
base equipped with castors with a diameter of 75 mm

Total dimensions: 1100 x 600 x 850-1200 mm
[L x S x H]
Worktop dimensions: 1100 x 600 mm
[L x S]

Designation of material:
KO stainless steel grade 0H18N9 (AISI 304)
ST powder varnished steel



WARD MULTIFUNCTIONAL TABLES



MB-3



K-3




K-3



K-6



MB-3 SERIES



H-04/W

Elements of the **MB-3 series tables** are made of:

frame of aluminum, powder coated white

top / shelf of ABS plastic, with deepening to prevent equipment from sliding off

steel basket shelf, powder coated, **option:** stainless steel grade 0H18N9 (AISI 304)

tray made of stainless steel grade 0H18N9 (AISI 304) (**option:** removable)

plastic **cuvette**

frame for waste bag holder of powder coated steel with an ABS plastic cover

basket for accessories of powder-coated steel

steel base with a cover made of ABS plastic, equipped with castors with a diameter of 75 mm, including two with a blockade

Additional equipment: waste bag holder, accessories basket, waste bin with swing cover, container for used needles, waste bowl, container for glove box

Dimensions of the table without an additional equipment: 780 x 455 x 800 mm

[L x S x H] (the height from the ground to the top)

Worktop dimensions: 740x410x10 [L x S x H]

Dimensions of the bottom shelf: 655x410x10 mm [L x S x H]



H-01



H-01/W



H-01/A



H-01/B



H-03



H-04



H-08/W



H-09



H-10

K-3 SERIES C TYPE



C-02/D with equipment

K-3 series C type tables elements are made of:
aluminium-steel **frame**, powder-coated in white colour, equipped with castors with a diameter of 75 mm, including two with a blockade
top / shelf of stainless steel grade 0H18N9 (AISI 304), permanently mounted to the frame, with raised edge
waste bag holder of powder coated steel, with a plastic cover
drawer, **steel basket shelf**, powder coated
plastic **cuvette**

Option: tables made entirely of stainless steel grade 0H18N9 (AISI 304), tilting stainless steel bowl, frame, accessories basket made of stainless steel grade 0H18N9 (AISI 304), basket for accessories made of powder coated steel



C-01/A with equipment



C-01/A1



C-01/B



C-01/B1



C-02/A



C-02/B

Total dimensions:
C-01/A,B; C-02/A,C,D: 770 x 430 x 880 mm
C-02/B,D: 770 x 480 x 880 mm
C-01/A1,B1; C-02/C1: 950 x 430 x 880 mm
C-02/B1,B2: 950 x 480 x 880 mm
C-02/D1: 985 x 480 x 880 mm [L x S x H]
Dimensions of top tray: 705 x 415 mm [L x S]
Dimensions of bottom tray: 655 x 415 mm [L x S]
Dimensions of cuvette: 395 x 325 x 65 mm [L x S x H]
Dimensions of basket: 655 x 410 x 90 mm [L x S x H]



C-02/B1



C-02/B2



C-02/C



C-02/C1



C-02/D



C-02/D1



C-02/D with equipment



C-03/A

Total dimensions:

C-03/A, B; C-04/A, B, C: 770x430x880 mm

C-03/A1, B1; C-04/A1, B1, C1: 950x430x880 mm

[L x S x H]



C-03/A1



C-03/B



C-03/B1



C-04/A



C-04/A1



C-04/B



C-04/B1




C-04/C



C-04/C1

K-3 SERIES D TYPE



D-02/F with equipment

Elements of **K-3 series D type tables** are made of:
aluminium-steel **frame**, powder-coated in white colour,
equipped with castors with a diameter of 75 mm, including two
with a blockade
top / shelf of stainless steel grade 0H18N9 (AISI 304), in the form
of a removable tray
plastic **cuvette**
waste bag holder, powder coated with a plastic cover
steel **basket for accessories**, powder coated

Option: tables entirely made of stainless steel grade 0H18N9
(AISI 304), titling waste bowl, frame, accessories basket made
of stainless steel grade 0H18N9 (AISI 304), stainless steel waste
bowl, accessories basket made of powder-coated steel

Designation of material:
KO stainless steel grade 0H18N9 (AISI 304)
ST powder varnished steel



D-01/A/ST



D-01/A/KO



D-01/B



D-01/C



D-01/D



D-03/B

Total dimensions:
D-01/A, B, C, D: 805 x 430 x 890 mm [L x S x H]
D-01/D, D-03/B, C, C1: 1000 x 430 x 890 mm [L x S x H]
D-02/A, B, C, D, F: 805 x 480 x 890 mm [L x S x H]
D-03/E: 1000 x 480 x 890 mm [L x S x H]

Dimensions of tray: 610 x 360 x 17 mm [L x S x H]
Dimensions of cuvette: 395 x 325 x 65 mm [L x S x H]
Dimensions of basket shelf: 655 x 410 x 90 mm [L x S x H]



D-02/A



D-02/B



D-02/C



D-02/D



D-03/E



D-02/F



D-02/F with equipment



D-02/F with equipment



D-03/A



D-03/C



D-03/C1



D-03/F1 with equipment



D-04/A



D-04/B



D-04/C



D-04/D



D-04/E



D-04/B with drawer

Total dimensions:

D-03/A,C,C1: 1000x430x890 mm [L x S x H]

D-04/D,E: 490x430x880 mm [L x S x H]

D-04/B z szufladą: 490x480x880 mm [L x S x H]

D-04/A,B,C: 680x430x880 mm [L x S x H]

Dimensions of tray: 255 x 360 x 17 mm [L x S x H]

Dimensions of cuvette: 325 x 395 x 65 mm [L x S x H]

Dimensions of accessories basket: 290x96x90 mm [L x S x H]

Designation of material:

KO stainless steel grade 0H18N9 (AISI 304)

ST powder varnished steel

WARD TABLES WL SERIES

WL-01ST/B



WL-01ST/A



WL-01ST/A with a basket for accessories and a tilting bowl

WL series table elements are made of:

aluminum-steel **frame**, powder coated white, equipped with castors with diameter 75 mm, including two with a blockade

table top made of stainless steel grade 0H18N9 (AISI 304), in the form of removable two trays, 2 trays per level

plastic compartments for medicines - 60 per level

Option: frame, basket for accessories made of stainless steel grade 0H18N9 (AISI 304), stainless steel waste bowl, basket for accessories made of powder-coated steel

Total dimensions: 660 x 430 x 890 mm [L x S x H]

* It is possible to modify the product according to the individual customer's needs.

K-6 SERIES



Elements of the **K-6 series tables** are made of:
frame of aluminium, powder coated white
steel base, powder coated white, equipped with castors with a diameter of 75 mm, including two with a blockade
top / shelf of stainless steel grade 0H18N9 (AISI 304), with raised edge
steel drawer, powder-coated in white
handle to guide the trolley

Option: table entirely made of stainless steel grade 0H18N9 (AISI 304), powder coated, according to RAL palette - TECH-MED card-samples

Total dimensions: 500 x 400 x 800 mm [L x S x H]
 (height - from the ground to the top)

Top / shelf dimensions: 450 x 320 x 10 mm [L x S x H]

Dimensions of the drawer: 450 x 320 x 155 mm [L x S x H]

B-03



B-01



B-02



B-04



B-05



B-06



B-04/A

ASSISTANT CABINETS



K-5



K-5



ALUMED



BH



K-5 SERIES



Elements of the **K-5 series tables** are made of:
steel **cabinet with drawers**, powder coated in colour according to RAL palette TECHMED sample-card
powder-coated **worktop**, with deepening
base powder coated, five-star on double castors with a diameter of 55 mm, including two with a blockade

Option: stainless steel tables grade 0H18N9 (AISI 304)

Worktop dimensions: 450 x 450 mm [L x S]

Total height: 800 mm [H]

Diameter of the base: 640 mm

Dimensions of the drawer: 450 x 450 x 155 mm [L x S x H]

Cabinet's dimensions: 450 x 450 x 284/413 [L x S x H]

A-03



A-01



A-02



A-04



A-05

ALUMED SERIES



AS-1510

Elements of the **ALUMED series assistants** are made of:
frame of closed aluminum profiles and ABS connectors, anodized or powder coated in the colour according to RAL palette TECHMED sample-card
filling of chipboard laminated on both sides Techmed sample-card
base powder coated, five-prong on double castors with a diameter of 55 mm, including two with a blockade

Option: top in the form of safety glass resistant to chemicals

Cabinet's dimensions: 450x450x540 mm [LxSxH]

Total height: 800 mm [H]

Diameter of the base: 640 mm

Dimensions of the drawer: 450 x 450 x 284 mm [L x S x H]

Cabinet's dimensions: 450 x 450 x 543 [L x S x H]



AS-1110



AS-1220



AS-1310



AS-1610

BERTLINE HEALTH

Assistant cabinets are made of the highest quality materials, such as: glass, PVC, acrylic, polycarbonate and composites, resistant to water and disinfectants.

As a standard, in the assistant cabinets, drawers without corners are installed, ensuring easy cleaning and keeping the interior of cabinets clean. Castors with brakes (front) adapted to each type of floor.

Equipment:

4/6 **drawers** without corners

worktop, sliding

replaceable **hangers** for fillings with a diameter of 14.16 mm (17 holes)

base and top with DuPont corian railing



Hania

Dimensions of the auxiliary

table top:

width: **410 mm**

depth: **390 mm**

Worktop dimensions:

width: **480 mm**

depth: **440 mm**

Height to the worktop

(working in standing position):

880 mm



Tomek

Worktop dimensions:

width: **500 mm**

width: **465 mm**

Height to the worktop:

800 mm



Agatka

Worktop dimensions:

width: **565 mm**

width: **500 mm**

Height to the worktop

(working in standing position):

800 mm

Height to the worktop

(working in sitting position):

700 mm



Patryk

Worktop dimensions:

width: **500 mm**

width: **465 mm**

Height to the worktop

(working in standing position):

800 mm

Height to the worktop

(working in sitting position):

700 mm



Bartek

Worktop dimensions:

width: **430 mm**

width: **500 mm**

Height to the worktop

(working in standing position):

870 mm

adjustable - 6 cm

TRANSPORT TROLLEYS



WPP



WZB



WMW



WZ



TROLLEY FOR CARRYING FOOD WPP SERIES



WPP-01KO/P with side shelf

Total dimensions: 1355 x 600 x 900 mm

[L x S x H]

Dimensions of side shelf: 510 x 335 mm

[L x S]

WPP series trolleys are made entirely of stainless steel grade 0H18N9 (AISI 304), equipped with castors with a diameter of 125 mm, including two with a blockade **top / shelf** in the form of one or two removable trays

WPP-01KO trolley with self-propelled wheel drive supporting the carriage



WPP-01KO

Total dimensions: 1015 x 600 x 900 mm [L x S x H]

Worktop dimensions (1 x tray): 890 x 590 mm [L x S]

Internal dimensions of tray: 845 x 545 x 18 mm [L x S x H]



WPP-01KO

Total dimensions: 1015 x 600 x 900 mm [L x S x H]

Worktop dimensions (1 x tray): 890 x 590 mm [L x S]

Internal dimensions of tray: 845 x 545 x 18 mm [L x S x H]



WPP-02KO

Total dimensions: 1475 x 700 x 900 mm [L x S x H]

Worktop dimensions (2 x tray):: 1300 x 700 mm [L x S]

Internal dimensions of tray: 600 x 640 x 18 mm [L x S x H]



WPP-2KO-G with deep trays

Total dimensions: 1290 x 680 x 900 mm [L x S x H]

Worktop dimensions (2 x tray): 1240 x 680 x 40 mm [L x S x H]

Internal dimensions of tray: 530 x 650 x 40 mm [L x S x H]

WZB SERIES



WZB-03K0

WZB series trolleys are made entirely of stainless steel grade 0H18N9 (AISI 304), equipped with castors of 100 mm diameter with buffers, including two with a blockade
cover lifted manually,
ring is equipped with clips to prevent the bag from sliding (optional: in the form of a silicone clamping ring)

Total dimensions: 1050 x 580 x 1080 mm (with buffers)
[L x S x H]

Cabinet's dimensions: 540 x 520 x 910 mm [L x S x H]

Dimensions of the shelf: 500 x 480 mm [L x S]



WZB-03K0

WCB SERIES



WCB-2133

Total dimensions:
1100 x 580 x 1080 mm
[L x S x H]

The elements of the **WCB series trolleys** are made of:
frame of closed aluminium profiles and ABS connectors, anodized or powder coated to the colour according to RAL palette TECH-MED sample-card
filling of chipboard laminated on both sides
steel base, powder coated, equipped with castors of 100 mm diameter, including two with a blockade, with buffers at the corners
cover of ABS plastic, lifted manually
top of chipboard, enclosed on three sides
rim made of stainless steel, equipped with clips to prevent the bag from sliding (optional: in the form of a silicone clamping ring)

Cabinet's dimensions: 550 x 530 x 910 mm [L x S x H]

Dimensions of the shelf: 525 x 480 mm [L x S]



WCB-1111



WCB-1121



WCB-1221

Total dimensions: 1050 x 580 x 1080 mm (with buffers)
[L x S x H]



WCB-2123

Total dimensions: 1100 x 580 x 1080 mm
[L x S x H]



WCB-2200

Total dimensions: 900 x 580 x 1080 mm
[L x S x H]



WCB-2223

Total dimensions: 1450 x 580 x 1080 mm
[L x S x H]

WMW SERIES



Elements of **WMW series trolleys** are made of: **frame** of closed aluminium profiles and ABS connectors, anodized or powder coated in the colour according to RAL palette TECH-MED sample-card **filling** of chipboard laminated on both sides **top** of chipboard, enclosed on three sides **steel base**, powder coated; equipped with castors of 100 mm diameter, including two with a block-ade, base with buffers at the corners



WMW-1230

Total dimensions: 640 x 540 x 1100 mm
[L x S x H]

WMW-1110 ABS

Option: table top and base cover made of ABS plastic



WMW-1110

Total dimensions: 640 x 540 x 960 mm
[L x S x H]



WMW-1210

Total dimensions: 640 x 540 x 1030 mm
[L x S x H]



WMW-1450

Total dimensions: 640 x 540 x 1160 mm
[L x S x H]



WMW-2110

Total dimensions: 845 x 545 x 960 mm
[L x S x H]

WT SERIES

WT series cabinets are made entirely of powder coated steel or stainless steel, grade 0H18N9 (AISI 304), equipped with 200 mm diameter castors, including two with blocking, buffers at the base corners

Total dimensions: 800 x 600 x 900 mm [L x S x H] (height - from the ground to the worktop)



WT-01K0



WT-01ST



WT-01ST

WZ SERIES



WZ-1KO

DIMENSIONS

capacity	length [L]	width [S]	height [H]
60-80 l	350	385	680
100-120 l	405	450	860

WZ series trolleys are made entirely of stainless steel grade 0H18N9 (AISI 30 4), equipped with 50 mm diameter castors, including two with a blockade **cover** with a decelerator of silent fall, raised manually or by a foot pedal

Option: lowered clamping ring stably fixing the bag without the use of clips, the rim equipped with silicone to prevent the bag from sliding



Option: cover made of ABS plastic in white



For WZ-2KO, WZ2-2KO, WZ3-2KO trolleys, the option of varnishing lids for a selected RAL colour, TECHMED sample-card



WZ-2KO

DIMENSIONS

capacity	length [L]	width [S]	height [H]
40 l	320	415	525
60-80 l	380	450	680
100-120 l	435	505	860



WZ2-2KO

DIMENSIONS

capacity	length [L]	width [S]	height [H]
60-80 l	755	450	680
100-120 l	860	505	860



WZ3-2KO

DIMENSIONS

capacity	length [L]	width [S]	height [H]
60-80 l	1025	450	680
100-120 l	1190	505	860



WZ-2DR
castors with a diameter of 200 mm

WZ-2DR trolley is made entirely of stainless steel, type 0H18N9 (AISI 304)

frame adapted for bags with a capacity of 160 l, equipped with castors of 200 mm diameter, including two with a blockade

cover lifted with a pedal

ring is equipped with clips to prevent the bag from sliding

DIMENSIONS

capacity	length [L]	width [S]	height [H]
160 l	600	700	1025



WZS-01

WZS-01 trolleys are made entirely of stainless steel grade 0H18N9 (AISI 304)

folded frame, suitable for bags with a capacity of 100 l, equipped with castors of 50 mm diameter, including two with a blockade

cover lifted manually,

ring is equipped with clips to prevent the bag from sliding

DIMENSIONS

capacity	length [L]	width [S]	height [H]
100 l	575	540	1000

MB SERIES



MB-02

DIMENSIONS

capacity	length [L]	width [S]	height [H]
60-80 l	405	520	680
100-120 l	405	520	860



Option: waste trolleys with segregation markings

Elements of MB series trolleys are made of:
frame, rim for bags of stainless steel tubes grade 0H18N9 (AISI 304)
cover of ABS plastic in white colour, with a decelerator of silent fall, lifted manually or with a foot pedal
basket shelf of powder coated steel
steel base with ABS plastic cover in white, equipped with 50 mm diameter castors, including two with a blockade

Option: lowered clamping ring stably fixing the bag without the use of clips, the rim equipped with silicone to prevent the bag from slipping



MB2-02



MB3-02

DIMENSIONS

capacity	length [L]	width [S]	height [H]
60-80 l	815	520	680
100-120 l	815	520	860

DIMENSIONS

capacity	length [L]	width [S]	height [H]
60-80 l	1225	520	680
100-120 l	1225	520	860



MB-03



MB-06 with height adjustment

DIMENSIONS

capacity	length [L]	width [S]	height [H]
100-120 l	880	405	860

DIMENSIONS

capacity	length [L]	width [S]	height [H]
60-120 l	405	520	680-860




MB-07

Elements of the **MB-07 type trolley** are made of:
frame of aluminium profile, powder coated white
cover of ABS plastic in white, raised manually or by foot pedal
steel base with a cover made of ABS plastic in white, equipped with castors of 75 mm diameter, including two with a blockade

Total dimensions: 550 x 550 x 860 mm
[L x S x H]

BASKET TROLLEYS, MOBILE TABLES AND RACKS



WKS



WK



PAK



RKS



BASKET TROLLEYS WKS SYSTEM



WKS-1 with equipment

WKS system trolleys are made of stainless steel grade 0H18N9 (AISI 304), **base** is equipped with castors with a diameter of 100 mm, including two with a blockade plastic **cover**, lifted manually

Equipment for trolleys consists of: baskets, shelves, a bag holder with a lid



WKS-1



WKS-1 with equipment

Total dimensions: 550 x 750 x 950-1250 mm [L x S x H]




WKS-2



WKS-2 with equipment

Total dimensions: 550 x 750 x 950 mm [L x S x H]



WKS-3



WKS-3 with equipment

Total dimensions: 700 x 300 x 900 mm [L x S x H]

BASKET TROLLEYS WK SYSTEM



WK-01/A

Elements of the **WK system trolleys** are made of:

frame made of stainless steel pipes grade 0H18N9 (AISI 304), equipped with castors with a diameter of 75 mm, including two with a blockade; the frame allows any height adjustment of the shelves only by means of fasteners without the need to make holes

steel powder-coated **basket shelf**, powder-coated or made of stainless steel, grade 0H18N9 (AISI 304), option: possibility of mounting shelves on guides to eject

handle for guiding or pushing of stainless steel 0H18N9 (AISI 304)
plastic waste bag **cover**

Option: trolley entirely of stainless steel, grade 0H18N9 (AISI 304)

Dimensions of basket shelves

PK-02: 335 x 405 x 90 mm

PK-01: 655 x 405 x 90 mm

[L x S x H]

Dimensions: 410 x 420 x 800 mm [L x S x H] (without a handle)
Dimensions: 540 x 420 x 800 mm [L x S x H] (with a handle)



WK-02/A



WK-02/B

Dimensions: 730 x 420 x 800 mm (length with handle: 860 mm) [L x S x H]

* It is possible to modify the product according to the individual customer's needs.




WK-02/C



WK-03

Dimensions: 780 x 420 x 800 mm (length with handle: 910 mm) [L x S x H]

MOBILE SLATTED RACKS RKS SYSTEM



RKS system shelves are made entirely of stainless steel, grade 0H18N9 (AISI 304), **base** is equipped with castors of 100 mm diameter, including two with a blockade.

Racks are equipped with baskets and shelves



RKS-5 with equipment

Total dimensions:
575 x 450 x 1900 mm
[L x S x H]



RKS-6 with equipment

Total dimensions:
575 x 750 x 1900 mm
[L x S x H]



RKS-7 with equipment

Total dimensions:
575 x 900 x 1900 mm
[L x S x H]

RKS-5
with equipment

Total dimensions:
575 x 540 x 1900 mm
[L x S x H]

RACKS FOR APRON AND SHOES

RKS racks elements are made of:
frame of chrome-plated or stainless steel grade 0H18N9 (AISI 304)
baskets, shelves and hangers for footwear of stainless steel grade 0H18N9 (AISI 304)

Dimensions of shelves:
PK-02: 335 x 405 x 90 mm
PK-03: 335 x 405 x 165 mm
PW-05: 655 x 405 x 20 mm



RKS-1



MOBILE RACK FOR SHOES

RKS-1 / M racks elements are made entirely of stainless steel grade 0H18N9 (AISI 304)
Base is made of a bent profile, equipped with castors of 75 mm diameter, including two with a blockade

Total dimensions:
695x520x1165 mm [L x S x H]



RKS-1/M

* It is possible to modify the product according to the individual customer's needs.

RACKS AND SLATTED RACKS RKS SYSTEM

RKS system is made entirely of stainless steel grade 0H18N9 (AISI 304)

The racks are wall-mounted or free-standing slats with hooks for hanging baskets and shelves



RKS-2



Rack RKS-2 with equipment



RKS-3

Total dimensions:
550 x 450 x 1900 mm
[L x S x H]



RKS-4

Total dimensions:
550 x 750 x 1900 mm
[L x S x H]


Dimensions:
height: 800-1600 mm [H] - depending on the equipment
spacing of slats: 530 mm

STERILIZATION BASKETS KSKO SERIES

Baskets of the KSKO series are made of stainless steel 0H18N9 (AISI 304)

The size of the baskets is adjusted to the unit of sterilization charge, in accordance with the requirements of European standards according to PN-EN-2852

The design allows easy storage by placing one on another, placing it in special trolleys or racks



KS-1

Total dimensions:
575 x 280 x 135 mm
[L x S x H]



KS-2

Total dimensions:
575 x 280 x 260 mm
[L x S x H]



KS-3

Total dimensions:
575 x 280 x 260 mm
[L x S x H]

PACKETIZING TABLES OF PAK SYSTEM



PAK system tables are made entirely of stainless steel grade 0H18N9 (AISI 304).

The base is equipped with feet with the possibility of levelling or castors with a diameter of 125 mm, including two with a blockade

Additional equipment: sterilization baskets: KS-1, KS-2, KS-3; top section for 4, 5 or 6 tilting containers, over worktop shelf, waste bag holder, cabinet, drawer

There is possibility to match both dimensions, and an equipment to individual needs.

Total dimensions of PAK-1:

length: **800, 1000, 1200, 1400** [L]

width: **700 mm** [S]

height: **800 mm** [H]



PAK-1 on wheels



PAK-2 on wheels



PAK-1



PAK-1 with equipment



PAK-1 with equipment



PAK-1/2 with equipment



PAK-1 with equipment

TROLLEYS FOR CARRYING SHEET PAPER PAP SERIES



PAP-2



PAP-3

PAP series trolleys are made entirely of stainless steel grade 0H18N9 (AISI 304), equipped with castors with a diameter of 100 mm, including two with a block-ade

Total dimensions:
1100 x 550 x 900 mm
[L x S x H]

STORAGE RACKS RM SERIES

RM series racks are made entirely of stainless steel grade 0H18N9 (AISI 304). They are equipped with 4 or 5 shelves and adjustable feet to level the rack.

Rack for self-assembly.

Total dimensions:
length: **800, 1000, 1200 mm** [L]
width: **400, 500 mm** [S]
height: **1800 mm** [H]



RM-01
solid shelves



RM-02
perforated shelves

RACKS FOR SLIPPER PANS AND URINALS WS SYSTEM

Racks for slipper pans and urinals, the WS system is made entirely of stainless steel grade 0H18N9 (AISI 304), equipped with 4 or 5 rod shelves fixed straight or slanted

Option: drip tray made of stainless steel grade 0H18N9 (AISI 304)

Total dimensions:
length: **600, 800, 1000 mm** [L]
width: **400 mm** [S]
height: **1800 mm** [H]



WS-01/4

RACKS FOR SLIPPER PANS AND URINALS SL SYSTEM

Racks for Slipper Pans and urinals are made entirely of stainless steel grade 0H18N9 (AISI 304)

supporting rail with hooks adapted for mounting the dryers

drip tray made of plastic

available dryers: for slipper pans, bowls, lids, urinals

Option: drip tray made of stainless steel grade 0H18N9 (AISI304)

Mounting: to the wall or on a trolley

Configuration of dryers depending on the needs of the Customer

SL-bilateral



Total dimensions:

length: **540, 740, 840 mm** [L]

width: **450 mm** [S]

height: **1200-2000 mm** [H]



SL/M

Dimensions:

length: **540, 740, 840 mm** [L]

height: **600-2000 mm** [H]
depending on the equipment



SL

MOBILE HANGER FOR X-RAY APRONS RTG SERIES



RTG-01

The hanger is made entirely of stainless steel grade 0H18N9 (AISI 304), equipped with 5 or 6 holders for X-ray aprons, half aprons and lead suits, in one or two-row arrangement
base is equipped with castors with a diameter of 100 mm, including two with a blockade

Total dimensions: **700 x 580 x 1800 mm**
[L x S x H]

Designation of material:

KO stainless steel grade 0H18N9 (AISI 304)

ST powder varnished steel



Wall-mounted hanger for X-ray aprons RTG-03KO



RTG-02

BASIC MEDICAL EQUIPMENT



SM SERIES



SM-02 in the non-magnetic version

Elements of the **SM-02 stand** are made of:
head and column of aluminium
plastic base

Base diameter: **575 mm**
Column diameter: **25/16 mm**



SM-02

Elements of the **SM-02 stand** are made of:
head of stainless steel grade 0H18N9 (AISI 304)
chromed steel column
plastic base

Base diameter: **575 mm**
Column diameter: **25/16 mm**



SM-03 for infusion pump

Elements of the **SM-03 stand** are made of:
head and column of stainless steel grade 0H18N9(AISI 304)
plastic base

Base diameter: **575 mm**
Column diameter: **25/16 mm**




SM-04KO for infusion pump


Elements of the **SM-04KO stand** are made of:
head and column of stainless steel grade 0H18N9(AISI 304)
base of stainless steel grade 0H18N9 (AISI 304)

Base diameter: **600 mm**
Column diameter: **25/16 mm**

Column with adjustable height in the range of **1320-2250 mm** or without
The five-star base on castors with a diameter of 50 mm, including two with a blockade



SM-05P



SM-05



Elements of **SM-05 type stands** are made of:
steel **column**, powder coated to RAL colour, height adjustable in the range of 1400-2000 mm or without
five-star aluminium **base**, powder-coated in colour according to RAL palette or polished, on castors with a diameter of 50 mm, including two with a blockade

Diameter of the base: 640 mm

Option: column made of stainless steel grade 0H18N9 (AISI 304)

Additional equipment:
handle for pulling, shelf, power strip, waste container

Designation of material:
KO stainless steel grade 0H18N9 (AISI 304)
ST powder varnished steel



Stand's heads SM Series



G-01

Head with 2 hooks



G-02

Head with 4 hooks



G-03

Head with 2 bottle baskets



G-04

Head with 2 hooks and 2 bottle baskets

SM SERIES



SM-06KO



SM-06 with additional equipment



SM-06 with additional equipment

Elements of **SM-06 stands** are made of:

head of stainless steel grade 0H18N9 (AISI 304)

column of stainless steel grade 0H18N9 (AISI 304), with height adjustment in the range of 1600-2000 mm or without, adapted for mounting additional accessories

five-star steel **base**, powder coated to RAL colour or stainless steel grade 0H18N9 (AISI 304), with a lowered centre of gravity, on wheels with 75 mm diameter, including two with a blockade

Diameter of the base: **610 mm**

Diameter of the column: **38/25 mm**

Bearing capacity: **15-20 kg**

EM SERIES

EM series stands are made entirely of stainless steel grade 0H18N9 (AISI 304) or varnished.

Shelf designed to attach a cardiomonitor or other medical equipment.

The size of the shelf and the location of the mounting holes are set individually.

Five-star **base** on castors with a diameter of 75 mm, including two with a blockade.

Designation of material:

KO stainless steel grade 0H18N9 (AISI 304)

ST powder varnished steel

Diameter of the base: **610 mm**

Total height: **1250 mm**



EM-01



Option: EM-01

In powder-coated version



Option: EM-01/ABS with a monitor holder

Base of steel in ABS plastic cover

Diameter of the base: **745 mm**

Height adjustment in the range: **1250-1950 mm**

KO-2m SERIES

Telescopic drip IV poles of the **KO-2m** series are made entirely of stainless steel grade 0H18N9 (AISI 304), the boom consists of four tubular elements that are attached to each other, inseparable and sliding telescopically. The head ended with two hooks.

Dimensions:

- length in the folded state: **700 mm**
- length in the unfolded state: **2000 mm**



KO-2m



Option: screen-hanger



KO-2m with handle USU2-01 type for the instrumental rail



KO2-2m double

PT SERIES

The **PT telescopic screens** are made entirely of stainless steel grade 0H18N9 (AISI 304), the boom consists of four tubular elements that are attached to each other and inseparable and extendable telescopically. The screens are equipped with a polyester curtain with a waterproof or washable cover.

Boom mounting: to the wall, with a handle for an instrumental rail or on a mobile base. Base made of steel, powder coated or of stainless steel grade 0H18N9 (AISI 304), or of steel in a cover made of ABS plastic.



PT-01

Dimensions of the telescope:

- length in the folded state: **700 mm**
- length in the unfolded state: **2000 mm**

PT-01/250

- length in the folded state: **850 mm**
- length in the unfolded state: **2500 mm**



PT-02 with handle USU2-01 type for the instrumental rail



PT-03/ABS on a base with ABS cover



Option: PT-03KO- frame of the screen made entirely of stainless steel 0H18N9 (AISI 304)



Option: height adjustment in the range: 1500-1700 mm, steel base in the cover made of ABS plastic

Dimensions of the telescope:
Length in the folded state: **700 mm**
Length in the unfolded state: **2000 mm**

Dimensions of the base (ABS):
length: **765 mm [L]**
width: **455 mm [S]**
Total height 1700 mm [H]

* It is possible to modify the product according to the individual customer's needs.

PJ SERIES



PJ-01 ST

Elements of **PJ series screens** are made of:

frame of aluminium, powder coated white,

base of powder coated steel section in white colour, equipped with 50 mm diameter castors, including two with blockade

the filling is a curtain made of **polyester fabric with a waterproof coating** available in the following colours: mint, yellow, blue, white, beige, green.

Option: frame varnished on a selected colour according to the RAL palette, the frame is entirely made of stainless steel grade 0H18N9 (AISI 304)

Dimensions:

- length of the wing in a single wing screen: **800, 1000, 1200 mm [L]**
- length of the wing in a multi-wing screen: **700 mm [H]**
- total height: **1700 mm [H]**
- width of the base: **450 mm [S]**

* With a wing length of 1200 mm, the width of the base is **500 mm**



PJ-02 ST (2x700 mm)



PJ-03 ST (3x700 mm)



PJ-03 ST (3x700 mm)



PJ-01 ST (MAT)

Elements of **PJ series screens (MAT)** are made of:

frame of bent steel section, powder coated on white,

base of powder coated steel section in white colour, equipped with 50 mm diameter castors, including two with blockade

the filling is a curtain made of **polyester with a waterproof coating** available in the following colours: mint, yellow, blue, white, beige.

Option: frame entirely is made of stainless steel grade 0H18N9 (AISI 304), or steel frame powder-coated for the selected RAL colour

Designation of material:

KO stainless steel grade 0H18N9 (AISI 304)

ST powder varnished steel

PJ/PC SERIES



PJ-01 KO (PC)

Elements of the **PJ series screen (PC)** with a plastic board are made of:
frame of aluminium profile, powder-coated in white,
base of powder coated steel section in white colour, equipped with 50 mm diameter castors, including two with blockade
filling is a white PC board (polycarbonate).

Option: frame entirely of stainless steel grade 0H18N9 (AISI 304), frame painted to the selected RAL colour

Dimensions:

- length of the wing in a single wing screen: **800, 1000, 1200 mm [L]**
 - length of the wing in a multi-wing screen: **700 mm [H]**
 - total height: **1700 mm [H]**
 - width of the base: **450 mm [S]**
- * With a wing length of 1200 mm, the width of the base is **500 mm**



PJ-02 ST (PC) 2x700 mm



PJ-02 KO (PC) 2x700 mm



PJ-03 KO (PC) 3x700 mm



PJ-01 KO (ABS)

Elements of the **PJ (ABS) series screen** with a plastic board are made of:
frame of bent steel sections, powder coated in white,
base of powder coated steel section in white colour, equipped with 50 mm diameter castors, including two with blockade
filling is a white ABS board.

Option: frame varnished on a selected colour according to the RAL palette, the frame is entirely made of stainless steel grade 0H18N9 (AISI 304)

Dimensions:

- length of the wing in a single wing screen: **800, 1000, 1200 mm [L]**
 - length of the wing in a multi-wing screen: **700 mm [H]**
 - total height: **1700 mm [H]**
 - width of the base: **450 mm [S]**
- * With a wing length of 1200 mm, the width of the base is **500 mm**



PJ-02 ST (ABS) 2x700 mm



PJ-02 KO (ABS) 2x700 mm



PJ-03 KO (ABS) 3x700 mm

PM SERIES



PM-03

Technical data:

Length in the unfolded state: **1380 mm**
Total height: **1700 mm [H]**
Dimensions of the base: **765 x 455 mm [L x S]**

Length of the central wing: **680 mm**
Length of the side wing: **340 mm**
Height of the wings: **1500 mm**

Elements of **PM series screens** are made of:

frame of aluminium, powder coated to a selected colour according to the RAL palette TECHMED sample-card

filling of a white plastic board (PC polycarbonate)

steel **base** with a cover made of ABS plastic, equipped with castors with a diameter 75 mm, including two with a blockade



Side wings of the screen folding inwards

FOLDING SCREEN PH



PH-03 wall-mounted

Elements of **PH series screens** are made of:

frame of aluminium, powder coated in colour according to RAL palette,

folding, equipped with castors with a diameter of 75 mm

filling of a white plastic plate (PC polycarbonate)



PH-01 mobile

PH-02 wall-mounted



Technical data:

total height: **1700 mm [H]**
dimensions of one wing: **300 x 1500 mm**
maximum number of wings: **7**

STANDS FOR WASTE BUCKETS SMO SERIES



SMO-01



SMO-02



SMO-03

diameter of the base: 600 mm
height of the stand: 310 mm
capacity of bowl: 30 l



SMO-04

diameter of the base: 480 mm
bucket height: 250 mm
capacity of bucket: 10 l



SMO-05

diameter of the base: 480 mm
height of the stand: 885 mm
height of bucket: 250 mm
capacity of bucket: 10 l

SMO series of waste container stands are made entirely of stainless steel, grade 0H18N9 (AISI 304) stainless steel **waste bowls** with a capacity of 2.5 or 4.5 or 9 l five-star **base** equipped with castors with a diameter of 50 mm, including two with a blockade


Diameter of the base: **600 mm**
Total height: **840 mm**

MEDICAL FOOT STOOL PO SERIES



PO-01

Total dimensions:
length: 480 mm [L]
width: 320 mm [S]
height: 130, 220, 280 mm [H]



PO-02

Total dimensions:
length: 480 mm [L]
width: 650 mm [S]
height: 425 mm [H]



PO-02/U

The stool is equipped with handrails with adjustable height

Total dimensions:
length: 480 mm [L]
width: 650 mm [S]
height: 1115-1360 mm [H]

Medical foot stools of the PO series are made entirely of stainless steel grade 0H18N9 (AISI 304) **legs** with the ability to adjust **top** covered with non-slip material

TB SERIES



TB-01 ST

Technical data:

- chromed base
- diameter of the base: **640 mm**
- seat height adjustment for TB-01: **440-560 mm**



TB-02 KO

Technical data:

- base made of stainless steel grade 0H18N9 (AISI 304)
- diameter of the base: **600 mm**

TB series stools elements are made of:
seat upholstered in washable material, resistant to disinfection, diameter 350 mm
seat height adjustable with manual pneumatic actuator by a hand lever or foot pedal
five-star **base** fitted with four 50 mm castors, two with blocking mechanism, with or without leg-support ring

Seat height adjustment range for TB stools to choose from:

seat height adjustment with a small actuator: **480-600 mm**
seat height adjustment with a big actuator: **600-860 mm**



TB-03 KO

Technical data:

- base made of stainless steel grade 0H18N9 (AISI 304)
- diameter of the base: **600 mm**



TB-04 KO

Technical data:

- base made of stainless steel grade 0H18N9 (AISI 304)
- backrest upholstered with height adjustment
- diameter of the base: **600 mm**



TB-04 KO/A
with foot control

TB (NP) SERIES



TB-02 KO (NP)

Technical data:

- base made of stainless steel grade 0H18N9 (AISI 304)
- diameter of the base: **600 mm**



TB-03 KO (NP) with foot control

Technical data:

- base made of stainless steel grade 0H18N9 (AISI 304)
- diameter of the base: **600 mm**

TB series (NP) stools elements are made of:
seat upholstered in washable material, resistant to disinfection, diameter 350 mm
seat height adjustable with manual pneumatic actuator by a hand lever or foot pedal
five-star **base** fitted with four 50 mm castors, two with blocking mechanism, with or without leg-support ring

Seat height adjustment range for TB (NP) to choose from:

seat height adjustment with a small actuator: **560-680 mm**
seat height adjustment with a big actuator: **680-940 mm**



TB-04 KO (NP)

Technical data:

- base made of stainless steel grade 0H18N9 (AISI 304)
- backrest upholstered with height adjustment
- diameter of the base: **600 mm**



TB-04 KO (NP)

TB-04 KO (NP)
with foot control



SR SERIES

Elements of **SR series tables** are made of:

frame of powder-varnished steel
bed upholstered with material washable and resistant to disinfection
manually adjustable **headrest** with ratchet mechanism
sheet holder

Technical data:

- headrest length; 500 mm
- total length: 1850 mm
- total width: 560 mm
- total height: 500 mm

Option: frame made of stainless steel type 0H18N9 (AISI 304)



SR-1

- two-segment bed
- adjustable headrest: +45°



SR-3

- two-segment bed
- adjustable headrest: from -45° do +45°



SR-2

- two-segment bed
- adjustable headrest: +45°
- total height: 600, 700, 800 mm



SR-4

- three-segment bed
- adjustable headrest: +45°
- adjustable footrest: -45° do +45°



SR-2 non-magnetic version on wheels

- two-segment bed
- adjustable headrest: +45°
- frame from reinforced aluminium profile
- non-magnetic frame; couch for MR room



Option: table equipped with 125 mm diameter castors, including two with a lock (SR-1, SR-2 only)



Option: frame made of stainless steel grade 0H18N9 (AISI 304)



Option: table equipped with railings (in the non-magnetic version)

INJECTION CHAIRS WP SERIES

Elements of **injection chairs WP series** are made of:

steel **frame** coated with powder varnish in white
seat, backrest and **armrests** upholstered in washable and resistant to disinfection material

Option: frame made of stainless steel grade 0H18N9 (AISI 304)



WP-1

Technical data:

- total length: 695 mm
- total width: 640 mm
- total height: 950 mm
- seat dimensions: 500x450 mm
- height from the ground to the seat: 510 mm
- armrest height and rotation adjustment

Designation of material:

- KO** stainless steel grade 0H18N9 (AISI 304)
- ST** powder varnished steel

Shelf made of stainless steel grade 0H18N9 (AISI 304) in the form of a removable tray



WP-2

Technical data:

- swivel seat: 360 st.
- seat height adjustment: 445-565 mm
- seat dimensions: 410 x 360 mm
- dimensions of the backrest: 410 x 360 mm
- dimensions of the armrest: 130 x 400 mm
- dimensions of the tray: 320 x 115 x 17 mm
- total dimensions: 790 x 635 x 870 - 990 mm

WD SERIES



WD-1



WD-1/A

WD-1 type cabinets are made entirely of PVC veneered furniture board.

top and fronts of laminated chipboard white - colour according to the furniture boards palette of Techmed sample-card;

cabinet equipped with double castors in a plastic cover with a diameter of 50 mm, including two with a blocking mechanism.

Option: double-sided opening of the **drawer** and the **door**

Total dimensions: 430 x 460 x 880 mm
[L x S x H]

Elements of **bedside cabinet WD-2 type** are made of:
top of laminated board with PVC edges (option: of ABS plastic)

aluminum **frame**, powder coated
steel **drawer** and **cabinet**, powder coated to a selected colour according to RAL palette, one-sided opening of the drawer and the door

basket shelf of powder-varnished steel, (option: made of stainless steel 0H18N9/AISI 304)

base fitted with 50 mm castors, two with blocking mechanism

Option: double-sided opening of the **drawer** and the **door**

Total dimensions: 430 x 410 x 880 mm
[L x S x H]



WD-2



WD-2/P



WD-6/A

Total dimensions WD-6/A:
460x330x880 mm [L x S x H]



WD-6/B

Total dimensions WD-6/B:
480x400x880 mm [L x S x H]

Elements of **bedside cabinet WD-6 type** are made of:
frame of aluminium profiles, anodized or powder-varnished (colours consistent with RAL palette)

filling with laminated white chipboard

fronts made of laminated chipboard for the selected RAL colour, TECHMED sample-card

top of ABS plastic

base fitted with 55 mm castors, two with blocking mechanism, (option: base with a cover made of ABS plastic)

One-sided opening of the **drawer** and the **door**.

Elements of **bedside cabinet WD-7 type** are made of:

steel **cabinet** and **drawer**, powder coated in colour according to RAL palette, one-sided opening of the cabinet and drawer, on the side of the cabinet there is a bottle insert made of ABS plastic.

top of waterproof laminate HPL or ABS with deepening

base equipped with double castors with a diameter of 55 mm, including two with a blockade

Option: double-sided opening of the **drawer** and the **door**

Total dimensions: 525 x 460 x 880 mm
[L x S x H]



WD-7/HPL



WD-7/ABS



WD-8



WD-8/P

Elements of **bedside cabinets WD-8 type** are made of:

steel **cabinet** and **drawer**, powder coated in colour according to RAL palette, one-sided opening of the cabinet and drawer

top of ABS plastic, with a deepening **side top** of waterproof HPL laminate, sliding right and left

frame of powder coated aluminium profile, **steel base** with a cover made of ABS plastic, equipped with double castors with a diameter of 55 mm, including two with a blockade

Total dimensions: 480 x 400 x 880 mm
[L x S x H]

Elements of **bedside cabinets WD-9 type** are made of:

steel **cabinet** and **drawer**, powder coated in colour according to RAL palette, one-sided opening of the cabinet and drawer

top of ABS plastic, with a deepening **side top** of waterproof HPL laminate, sliding right and left

frame of powder coated aluminium profile, **steel base** with a cover made of ABS plastic, equipped with double castors with a diameter of 55 mm, including two with a blockade

Total dimensions: 480 x 400 x 880 mm
[L x S x H]



WD-9



WD-9/P

SP "FRIEND" SERIES

Technical data:

- Manual height adjustment in range: 850-1300 mm [H]
- Height adjustment by means of gas spring in range: 850-1150 mm [H] using a hand lever



SP-1

top with laminated chipboard
steel frame, powder coated white
steel base powder-varnished, fitted with
75 mm castors, two with blocking mechanism

dimensions:

base: **730 x 430 mm** [L x S]
top: **735 x 430 mm** [L x S]
option: tilt of the top: **-60° +60°**



SP-1/ABS

top made of ABS plastic, with a deepening
steel frame, powder coated white
steel base powder-varnished, fitted with
75 mm castors, two with blocking mechanism

dimensions:

base: **730 x 430 mm** [L x S]
top: **730 x 410 mm** [L x S]
option: tilt of the top: **-60° +60°**



SP-1/ABS-2

top divided, made of plastic, with a deepening
steel frame, powder coated white
steel base powder-varnished, fitted with
75 mm castors, two with blocking mechanism

dimensions:

base: **730 x 430 mm** [L x S]
top: **730 x 410 mm** [L x S]
tilt of the top: **-60° +60°**



SP-1/ABS-2 with a gas spring

top divided, made of ABS plastic, with
a deepening
steel frame, powder coated white
steel base powder-varnished, fitted with
75 mm castors, two with blocking mechanism

dimensions:

base: **730 x 430 m** [L x S]
top: **730 x 410 mm** [L x S]
tilt of the top: **-60° +60°**



SP-2 with a gas spring

top made of ABS plastic, with a deepening
steel frame, powder coated white
steel base powder-varnished, fitted with
75 mm castors, two with blocking mechanism

dimensions:

base: **765 x 455 mm** [L x S]
top: **730 x 410 mm** [L x S]
option: tilt of the top: **-60° +60°**



SP-2 with tilted top

top made of ABS plastic, with a deepening
steel frame, powder coated white
steel base powder-varnished, fitted with
75 mm castors, two with blocking mechanism

dimensions:

base: **765 x 455 mm** [L x S]
top: **730 x 410 mm** [L x S]
tilt of the top: **-60° +60°**

PRODUCTS FOR NEONATAL WARD



BM SERIES



BM-01

Elements of **baby cribs BM series** are made of: **frame** of tubular steel, powder-varnished, fitted with 75 mm castors, two with blocking mechanism **tub** of plastic, fitted with mattress

Ext. dimensions of the crib: 830 x 570 x 980 mm
[L x S x H]

Int. dimensions of cradle: 660 x 410 x 220 mm
[L x S x H]

The BM-01, BM-02 cribs have the function of entering the frame into the frame, in order to minimize the storage space.



BM-01 option: frame powder-varnished (colours consistent with RAL palette)



BM-02
Frame made of stainless steel grade OH18N9 (AISI 304)



Anty-Trendelenburg position +12°



The BM-01, BM-02 types of cribs have the option of entering the frame into the frame in order to minimize storage space



BM-04

Elements of **baby cribs BM series BM-04 and BM-05 types** made of:

frame - of aluminium profile, white powder-varnished
tub - of plastic, fitted with mattress

base - of steel with ABS plastic cover, fitted with 75 mm castors, two with blocking mechanism

decorative elements powder-varnished (colours consistent with RAL palette)

External dimensions of the crib: 780 x 480 x 970 mm [L x S x H]

Int. dimensions of cradle: 660 x 410 x 220 mm [L x S x H]



Anti-Trendelenburg position +12°



Option: a crib with height adjustment function using a gas spring



Option: a crib with height adjustment function and the ability to set the Anti-Trendelenburg position ±12° using two gas springs



BM-05/P

Option: powder-varnished basket shelf



BM-05/Sz (MDF)



BM-05/Sz



BM-06/Sz



BM-06

Elements of **baby crib BM series BM-06 type** made of:

frame of aluminium profile, white powder-varnished steel powder-painted

playpen equipped with a mattress, height adjustable position of the mattress

base - steel or steel in a cover made of ABS plastic, equipped with castors with a diameter of 100 mm, including two with a blockade

decorative elements powder coated in RAL colour

Ext. dimensions of the crib: 1050 x 570 x 1220 mm [L x S x H]

Int. dims. of cradle: 800 x 525 x 500 mm [L x S x H]

Cabinet's dimensions: 800 x 450 x 420 mm [L x S x H]

Height adjustment of the position of the mattress every 50 mm, in the range of: 720-920 mm [L x S x H]

MBR SERIES



SPP-01

Elements of **tables of new MBR series** are made of:
frame of aluminium profiles powder-varnished with white colour
top made of ABS plastic, with a upholstered mattress and surrounded on three sides
cabinet/drawers/shelves of chipboard painted in white colour j
front of chipboard laminated (colours consistent with RAL palette)
base of steel with ABS plastic cover, fitted with 75 mm castors, two with blocking mechanism
decorative elements powder varnished (colours consistent with RAL palette - TECH-MED sample-card)

Additional equipment: gloves container, container for used needles, titling bowl, waste bin, accessories baskets. Equipment is attached to an instrumental rail mounted on a table frame.

Total dimensions: 830 x 660 x 950 mm [L x S x H]

Height from the ground to the top: 900 mm

Dimensions of the cabinet with the door: 655 x 510 x 390 mm [L x s x H]

Dimensions of the drawer: 655 x 510 x 250 mm [L x S x H]



SPP-02



SPP-03



SPP-04



SPP-01/W



SPP-05



SPM-01 with equipment



SPM-01



SPM-02



SPM-03



SPM-04

SPTM SERIES



Elements of **tables of SPTM series** are made of:

frame made of aluminium profiles powder-varnished with white colour, **steel base** powder coated in white, equipped with wheels with a diameter of 75 mm, including two with a lock
steel top, powder coated, equipped with a mattress and surrounded on three sides with upholstered material
cabinet/shelves made of laminated chipboard in white
front of laminated chipboard - colours to choose from

Additional equipment: container for gloves, container for tools, accessories basket, waste plastic bin with swing cover, holder for the waste bag, shelf for scale. The equipment is mounted on an instrumental rail mounted on the table frame.

Total dimensions: 900 x 700 x 980 mm [L x S x H]
Height from the ground to the top: 900 mm

SPTM-01 with equipment



SPTM



SPTM-01



SPTM-03



SPTM-02 with equipment



SPTM-02 with height adjustment

NEW!

The only treatment table on the market with electric drive, allowing you to raise and lower the table using an electric actuator.

Total dimensions: 900 x 700 x 650-1300 mm [L x S x H]
Height adjustment range: 650-1300 mm

SPTM MS SERIES (MATTRESS FIXED PERMANENTLY)



SPTM MS



SPTM-01 MS



SPTM-02 MS

Table elements of the **SPTM MS series:**
frame made of powder coated aluminium profile, allowing any positioning of the cabinet or shelf to be adjusted as well as the installation of additional equipment

top with furniture board, with mattress fixed to the table permanently, security bands on three sides (board covered with a sponge and covered with upholstery)

Total dimensions: 900 x 700 x 980 mm [L x S x H]
Height from the ground to the top: 900 mm

SPTM AL SERIES



SPTM-02/AL



SPTM-03/AL

SPTM AL series table elements are made of:
frame made of closed aluminium profiles, ABS connectors, anodised or powder coated to a selected colour according to the RAL palette, filled with laminated double-sided chipboard, equipped with legs with the possibility of levelling
steel powder-coated top, equipped with upholstered mattress and surrounded on three sides with upholstered material

Total dimensions: 900 x 700 x 980 mm [L x S x H]
Height from the ground to the top: 900 mm

SAM SERIES



SAM-01

Elements of **SAM series tables** are made of:
top of powder-varnished steel, surrounded on three sides by bands of plexiglass, fitted with a mattress
cabinet with doors or drawers made of laminated white chipboard equipped with castors with a diameter of 100 mm
front of MDF board, painted in a selected colour according to the RAL palette
shelf for the scale of the chipboard equipped with railings protecting against slipping of the equipment

Total dimensions: 1000 x 700 x 1050 mm
[L x S x H]
Height from the ground to the top: 900 mm



SAM-01 with shelf



SAM-02S



SAM-03



SAM-01S

RN SERIES



RN-01

Elements of **tables of RN series** are made of:
top made of powder-varnished steel, surrounded on three sides by tilting bands of plexiglass, fitted with a mattress
cabinet with doors or drawers made of chipboard laminated white
front from MDF chipboard, varnished to the selected colour according to RAL palette
base made of steel powder coated or steel with cover of ABS plastic, equipped with castors with a diameter of 100 mm, including two with a blockade

Total dimensions: 550 x 700 x 1050 mm
[L x S x H]
Height from the ground to the top: 900 mm
Height of plexi band: 190 mm



RN-02



RN-03



RN-04

BP SERIES



Elements of **BP series tables** are made of:
cabinet made of white laminated furniture board, equipped with feet with the possibility of levelling
MDF fronts varnished in a selected colour according to the RAL palette
top with laminated HPL post-forming in white, selected models equipped with a mattress (BP-3, BP-4, BP-5, BP-6)

Additional equipment: waste bin, retractable shelf for neonatal scale, scale

BP-3

Dimensions: 1100 x 580 x 900 mm
[L x S x H]



BP-1

Dimensions: 700 x 580 x 900 mm
[L x S x H]



BP-2



BP-4

Dimensions: 1500 x 580 x 900 mm
[L x S x H]



BP-5

Dimensions: 1500 x 580 x 900 mm
[L x S x H]



BP-6

Dimensions: 1400 x 580 x 900 mm
[L x S x H]

* It is possible to modify the product according to the individual customer's needs.

KACPEREK



Set UABP

Elements of **baby nursing stations of KACPEREK series** are made of:
cabinet and shelves made of chipboard laminated on both sides, cabinet equipped with levelling feet
front made of MDF chipboard, powder-varnished (colours consistent with RAL palette)
top of module A (bathtub), **U** (washbasin) i **B** (nursing table) made of glass-polyester laminate
nursing table with mattress

Standard: stand-alone modules, **option:** modules connected with blends

Additional equipment: sink tap with a long spout, swivel tap with pull-out shower spout, swivel tap with a thermostat with a long spout, waste bin, slide-out shelf for neonatal scales



Module U - washbasin

Dimensions:
400 x 580 x 900 mm
 [L x S x H]



Module A - bathtub

Dimensions:
800 x 580 x 900 mm lub
900 x 580 x 900 mm
 [L x S x H]



Module B - nursing table

Dimensions:
700 x 580 x 900 mm
 [L x S x H]



Module P - set of shelves

Dimensions:
250 x 580 x 900 mm
 [L x S x H]



Set AB
 with a monolithic top



Set UABBP with additional equipment

AGATKA



Set AB with a monolithic top, on a combined of anodized frame

Elements of **baby nursing stations of AGATKA series** are made of: **frame** made of aluminium profiles and ABS connectors, anodized or powder-varnished (colours consistent with RAL palette), fitted with adjustable legs

filling: chipboard laminated on both sides

top of module A (bathtub), **U** (washbasin) i **B** (nursing table) made of glass-polyester laminate, **top of module C** (treatment table) made of chipboard

nursing table and treatment table equipped with a mattress

Standard: stand-alone modules, **option:** modules on a combined frame

Standard: modules tops are separate, **option:** monolithic top for AB set

Additional equipment: sink tap with a long spout, swivel tap with pull-out shower spout, swivel tap with a thermostat with a long spout, waste bin, slide-out shelf for neonatal scales



Module U - washbasin

Dimensions:
400 x 580 x 900 mm
[L x S x H]



Module A - bathtub

Dimensions:
800 x 580 x 900 mm or
900 x 580 x 900 mm
[L x S x H]



Module B - nursing table

Dimensions:
700 x 580 x 900 mm
[L x S x H]



Module B1 - treatment table

Dimensions:
900 x 580 x 900 mm
[L x S x H]



Option: module A with drawers



Set AB, with a monolithic top, on a combined powder-coated frame

NEONATAL SCALE WPT

Technical data WPT:

Baby scale is a precise electronic class III scale intended for weighing infants. It is equipped with an Owispol polystyrene dish and a backlit LCD type display.

The baby's scale comes in a two-range version. We offer treatment tables with a shelf suitable for WPT neonade scales.

Dimensions: 550 x 407 x 135 mm
[L x S x H]

NEONATAL SCALE WPT 6/15D

Technical data:

Maximum load [Max]: 6/15 kg
Accuracy [d]: 2/5 g
Tare range: -15 kg
Working temperature: 0 - +40 °C
Power: 100 ÷ 240 V AC 50 ÷ 60 Hz / 12 V DC + battery
LCD display (with backlight)
Interface RS 232
Battery operation time: 35 hours (average time)
Relative humidity of the air: 10÷85% RH non-condensing
Net weight: 3,5 kg



NEONATAL SCALE WPT 10/20D

Technical data:

Maximum load [Max] : 10/20 kg
Accuracy [d]: 5/10 g
Tare range :-20 kg
Working temperature: 0 - +40 °C
Power: 100 ÷ 240 V AC 50 ÷ 60 Hz / 12 V DC + battery
LCD display (with backlight)
Interface RS 232
Battery operation time: 35 hours (average time)
Relative humidity of the air: 10÷85% RH non-condensing
Net weight: 3,5 kg

OXYPODS BT SERIES

Oxypods made of transparent plastic, UV stabilized, 4-5 mm thick

Fitted with output connections for oxygen tubes, EEG pipes, oxygen analyser and intravenous tubes



BT-02

Outer dimensions:
350 x 360 x 170 mm
[L x S x H]

Cutting out for baby's body:
230 x 140 mm
[L x S]



BT-01

Outer dimensions:
270 x 270 x 170 mm
[L x S x H]

Cutting out for baby's body:
150 x 125 mm
[L x S]




BOBAS

Outer dimensions :
450 x 560 x 320 mm
[L x S x H]

Cutting out for baby's body:
270 x 160 mm
[L x S]

* It is possible to modify the product according to the individual customer's needs.

MEDICAL AND LABORATORY FURNITURE ALUMED SYSTEM



Elements of **medical furniture - ALUMED system** made of:

frame made of aluminium profiles and ABS connectors, anodized or powder-varnished (colour consistent with RAL palette)

aluminium **profile** with a cross section 25 x 25 mm

filling: chipboard laminated on both sides 18 mm thick

all **edges** protected by PVC edging 2 mm thick

worktop made of chipboard, type: post forming 28-36 mm thick, high pressure HPL laminated

leg with a height of 10 cm with levelling

glazed **door** - 4 mm safety glass in anodized aluminium frame

stainless steel **sinks**

Optional equipment:

- **safety lock** - for containers and drawer units (max. 5 equal drawers or to 4 of various heights)
- **castors** instead of legs in other cabinets than mobile type of diameter of 80-160 mm
- glass **shelves** for cabinets and cupboards with glazed door
- other colour than **Tech-Med** sample-card
- **TANDEMBOX system for drawers** with self-closing function


Accessories:

- **hinge** TOP CLIP type adjustable in three dimensions, protected against corrosion
- **drawer guides** - metal METABOX type, protected against corrosion
- **handles** for doors and drawers - anodized aluminium or powder coated on colour of frame
- **door and drawers locks** - safety lock
- **castors** for containers - non-marking ground tread, 2 with the brake of treadmill and rotating
- plastic five-stars **base** for containers with castors, two with blocking mechanism, non-marking ground tread

SL SERIES

Total dimensions: 510 x 550 x 1950 mm

[L x S x H]



Total dimensions: 900 x 550 x 1950 mm

[L x S x H]



WALL CABINET SW SERIES

Wall cabinets single-chamber:



SW-2110

Total dimensions:
900 x 300 x 600 mm
[L x S x H]

Wall cabinets two-chamber and three-chamber:



SW-3210

Total dimensions: 1340
x 300 x 600 mm
[L x S x H]



SW-2210



SW-3220

STANDING CABINETS ST SERIES

Standing cabinets single-chamber:



ST-1111



ST-1143



ST-1166

Total dimensions: 460 x 550 x 860 mm
[L x S x H]



ST-3121



ST-2228



ST-3103

Total dimensions: 900 x 550 x 860 mm
[L x S x H]

Total dimensions: 800 x 550 x 860 mm
[L x S x H]

Standing cabinets two-chamber:



ST-4123



ST-4145



ST-4101

* It is possible to modify the product according to the individual customer's needs.

STANDING CABINETS ST SERIES



ST-6131



ST-6152



ST-6144/2



ST-6144



ST-6164

Standing cabinets three-chamber
Total dimensions: 1340 x 550 x 860 mm
[L x S x H]

CONTAINERS KN SERIES

Containers fitted with 55 mm castors, two with blocking mechanism

Total dimensions: 450 x 450 x 700 mm
[L x S x H]



KN-1120



KN-1210



KN-1330



KN-1430

DESKS ALB SERIES



ALB-2110

Total dimensions: 1200 x 600 x 790 mm
[L x S x H]



ALB-2220

Total dimensions: 1200 x 600 x 790 mm
[L x S x H]



ALB-3340

Total dimensions: 1400 x 600 x 790 mm
[L x S x H]

COUNTERS LR SERIES



LR-160

Total dimensions: 1600 x 600 x 860 mm
[L x S x H]



LR-210

Total dimensions: 2100 x 600 x 860 mm
[L x S x H]

* It is possible to modify the product according to the individual customer's needs.



The main part of the laboratory is worktable. The proper kind of top and accessories selection determine the comfort of work. In order to use functionally the space around the top, we offer the equipment that consists of standing cabinets, wall cabinets, set of drawers, top sections. Laboratory worktops are made of different materials, depending on the physical and chemical properties, and especially on the degree of resistance to chemicals. Selection of the proper worktop depends on the specific operation in a laboratory.

Available laboratory worktops:

- **DURCON** – very durable, resistant to moisture and very high resistance to acids, alkalis and high temperature.
- **TRESPA „TOP LAB”** – very durable and resistant to the most aggressive chemicals, resistant to moisture.
- **MAX - Resistance** – flame retardant, resistant to moisture and most chemicals, temperature resistance 180°C.
- **CORIAN** – ability to match shape and the rim of top to it's requirements, ability to link with no visible joints, resistant to most chemicals, temperature resistance 230°C.
- **KONGLOMERAT** – flame retardant, resistant to moisture and most of interaction of the weak chemical compounds.
- **LAMINAT HPL** – hard and flame retardant, resistant to abrasion, impacts and effect of the most weak chemicals, temperature resistance 120°C.



Examples of laboratory furniture

* It is possible to modify the product according to the individual customer's needs.

RAIL SYSTEM



ISA Rail System consists of the instrumental rails **MODUR, EUROSTANDARD** type, mounted directly to the wall and elements for supporting medical equipment, including: shelves, trays, racks, screens, providing ergonomic spatial organization of instruments and equipment.

Cross sections of the instrumental rail:

- **MODUR: 10 x 30 mm**, made of anodized aluminium profile
- **EUROSTANDARD: 10 x 25 mm**, made of stainless steel grade 0H18N9 (AISI 304)



MODUR AND EUROSTANDARD INSTRUMENTAL RAILS



MODUR instrumental rail MD-01 type



EUROSTANDARD instrumental rail MD-02 type

UNIVERSAL HOLDERS FOR MODUR AND EUROSTANDARD RAILS



USU-01 standard



EL50/USU-01



EL50-165/USU2-01



USU-02



EL50/USU-03



EL50/USU2-01



EL50-300/USU2-01




USU-02PZ/USU-01

* It is possible to modify the product according to the individual customer's needs.

Double holder of catheter container
PC2-01/USU-01



Holder for a catheter container
PC-01/USU-01



Basket for catheters
PC-04/USU-01



Container for catheters
PC-05/USU-01



Holder for bottle
UB-01/USU-01



Double bottle holder
UB2-01/USU-01

Double holder with containers for catheters
PC2-03/USU-01



Holder with container for catheters
PC-03/USU-01



Single holder for suction bottle
UB-03/USU-01



Accessories basket KR-02/USU-01



Accessories basket KR-01/2xUSU-01

hanger for resuscitator WR-01/USU-01



Waste bag holder with lid
UWR-03/P/USU-01



Waste bag holder
UWR-01/USU-01



Waste bag holder
UWR-03/USU-01



Container for used needles
PZI-03/USU-01



Titling bowl UPO-03/KO/USU-01



Container for instruments
UPP-03KO/40/2xUSU-01



Transparent plastic container for instruments
UPP-03TW/100/2xUSU-01



Tonometer cuff's holder UMC-01/
USU-01



Documentation holder
PD-01/USU-01



Gloves sanitary dispenser
PR-01/USU-01



Waste container
UPK-03KO/USU-01



Cable holder "comb"
GR-01/USU-01



Cable holder "shield"
TR-01/GS200/EL50/USU-01



UBT-01/USU-01

Holder of oxygen bottle UBT



Knee-opening waste container
KK-01 (8l) and KK-02 (20l)

ARTICULATED ARMS WKP SERIES

WKP articulated arms are manufactured as one-, two- or three-articulated. They are made of materials:

- from aluminium tube galvanized finish (anodizing or electro-polishing)
- from aluminium tube varnish coated,
- tubular stainless steel, polished or matt,
- chrome-plated tubular steel.

They are equipped with a universal rail holder for mounting, one, two or three joints of arms with lock, drains or cables catches, flexible arm (goose-neck), head or hanger.

Arms length: 200, 300, 450, 550 mm.

The diameter of the tube: 16 mm, 20 mm.

Mounting: the instrumental rails using the handle rail.



Examples



WKP-03 (AL)



WKP-01/GS (AN)



Heads, hangers, clips

HANGERS FOR INFUSION PUMPS OR FOR DRIP IV MP SERIES



Hanger MP-03



Hanger MP-04



Hanger MP-05



EL50-300/USU-01
with extended joint



EL50-165/USU-01
with joint



EL50/USU-01
vertical

Examples of hanger mounted on the instrumental rail

TELESCOPIC HANGERS AND MEDICAL SCREENS



KO-2m/USU2-01 telescopic hanger for drip IV with rail handle



PT-02/USU2-01 telescopic medical screen with rail handle

* It is possible to modify the product according to the individual customer's needs.

EXAMPLES OF MONITOR / CARDIAC MONITORS FIXING



UMK-06



UMK-02/USU-02PZ



UMK-08/75/PKM-01

Handle UMK-08 with keyboard shelf PKM-01, fitted on aluminum profile, with the possibility of adjusting the position of the shelf and monitor holder



UMK-08/USU-02



Shelf KB-01 type with drawer for vital signs monitor
dimensions: 450 x 320 x 155 mm



Lowered shelf KB-02 type for vital signs monitor
dimensions: 450 x 320 mm



Shelf KB-03 type for vital signs monitor with a drawer on the arm
dimensions: 450 x 320 x 155 mm



Shelf KB-02 type for vital signs monitor
dimensions: 450 x 320 mm



Light shelf - tray PL-01/2xUSU-01
dimensions: 320 x 250 x 10 mm



Light shelf - folding tray PL-01/S/2xUSU-01
dimensions: 450 x 320 x 10 mm



Bedside PMS rail mobile system / ICU trolley, has been designed in order to facilitate the work of medical personnel. It is used in places where it is impossible to install instrumental rails.

The frame is adapted for mounting medical equipment, oxygen tank bottle and rail accessories such as drip IV pole, monitor holder, baskets for accessories, handle for oxygen tank, catheters container, holder for waste bag, cable holder, bottles holder, mast of infusion pumps, waste bowl, container for tools, power strip, and many other accessories according to the Customer demand.

A wide range of accessories makes mobile bedside PMS rail system customizable to individual needs of Customer.

Elements of **PMS rail system / ICU trolley** are made of:

frame of aluminum profiles, coated with powder varnish

instrumental rail of stainless steel 0H18N9, (AISI 304), with dimensions: 25x10 mm and one made of aluminum 30x10 mm, supporting medical equipment

basis of steel with ABS plastic cover, fitted with 125 mm castors, two with blocking mechanism

Dimensions:

length: 810 mm

width: 610 mm

height: 1600 mm

An example of the PMS rail system



Proposed PMS system settings in regard of the bed or regardless of the bed



SPECIALIST MEDICAL EQUIPMENT



ISA 9003 IOM



Supply columns ICE are equipped with:

- ceiling pendants
 - service head
 - mounting rails
- that provides connection of:
- medical equipment with a rated voltage 230 V
 - equipotential cable
 - outlet of medical gases: O₂, V, Air, N₂O
 - mounting of accessories

Weight of service head: 60-80 kg (according to equipment)

The height of the service head depends on the equipment

ISA 9000

Wall-mounted supply units ISA 9000 in the horizontal system are equipped with:

- electrical sockets 230 V
- Data Communication sockets
- equipotential sockets
- local lighting for reading
- night lighting
- light switch
- medical gas outlets (O₂, V, Air)
- adapted to any nursing call system

The standard length of the single-bed unit:
2000 mm (depending on equipment)



ISA 9000



ISA 300



ISA 300

ISA 9000 SU



Ceiling-mounted medical supply units ISA 9000 SU are equipped with:

- ceiling pendants
- electrical sockets 230 V
- Data Communication sockets
- equipotential sockets
- local lighting for reading
- night lighting
- light switch
- medical gas outlets (O₂, V, Air)
- manometers
- adapted to any nursing call system

The standard length of the single-bed unit: 2000 mm (depending on equipment)

Innovative mobile medical container systems equipped with products offered by Zakład Techniki Medycznej TECH-MED constitute a set of medical units for use in field conditions. Offered equipment allows optimum use of the available storage space while maintaining good working conditions for staff.

A wide range of products allows you to equip, among others such rooms as:

- dressing room
- preoperative room
- operating theater
- ICU
- lab
- pharmacy
- dentist


SAMPLE EQUIPMENT PROJECTS



External visualization



Dentist



Medical dressing room



Pharmacy



Pre-operative room

MEDICAL DRESSING ROOM



The dressing room is a room adapted to provide emergency help. The provision of the room is necessary medical equipment that guarantees optimal use of the available space, while maintaining convenient working conditions for the staff.

PRE-OPERATIONAL HALL

The pre-operative room is a room designed to prepare the patient for surgery. The equipment of the hall are the basic medical equipment enabling the best technical organization of the work of medical personnel



OPERATING THEATER

The operating theater intended for surgical procedures is a room equipped with: mobile anaesthesia carts, instrumental tables providing convenience of use, excellent organization of personnel work and optimal use of the usable space, limited due to the specificity of the room.



ICU ROOM

The equipment of the intensive therapy room includes innovative power supply systems, shelf sets for mounting medical equipment to monitor patients after surgery.



POLYESTER CURTAIN



ZP-1
mint



ZP-2
yellow



ZP-3
blue



ZP-4
white



ZP-5
beige



ZP-6
green

WASHABLE CURTAIN



ZZ-1
blue



ZZ-2
yellow



ZZ-3
white



ZZ-4
beige



ZZ-5
celadon

LAMINATED BOARDS


Group I



U8681SM
white Alaska



U3053PE
capuccino



U112PE
ashen



U1301PE
vanilla



D2609PR
palermo oak light



D9310SE
alder




D9300PE
common pear




D3168MX
bleached pine

Group II



U119PE
light beige



U1253VL
raspberry



U2645VL
orange



U7110VL
red coral



KS8534
pink



KS7167
purple



KS0121
light blue



KS5515
sky blue



U125PE
blue



U3112PE
green lime



U157PE
green peas



KS0134
yellow

TOPS



K101PE
white



D1202PE
bright granite



D1003PE
Selenia



D4008SM
krypton




D3265BT
dark concrete

* colours may vary slightly from the real colours
current color database at www.techmed.com.pl

PRODUCTS VARNISHED WITH COLOURS CONSISTENT WITH RAL PALETTE

Base colour palette for steel, aluminium** and furniture* parts


				
RAL9003 white	RAL9001 creamy	RAL1013 pearl	RAL1015 beige	RAL1018 yellow
				
RAL3015 bright pink	RAL4003 intense pink	RAL3000 red	RAL1034 peach-coloured	RAL2008 orange
				
RAL5021 marine	RAL6033 celadon	RAL6027 light green	RAL6019 bright green	RAL6018 green
				
RAL5012 blue	RAL5017 dark blue	RAL5002 navy blue	RAL9006 aluminium	RAL7035 gray

* furniture items available for the full range of RAL CLASSIC

**other colours for steel and aluminium available as an option at extra cost

*** colours may vary slightly from the real colours

UPHOLSTERY

				
T1 black	T2 white	T3 gray	T4 beige	
				
T5 purple	T6 red	T7 salmon pink	T8 orange	T9 yellow
				
T10 green	T11 green peas	T12 light green	T14 sea-green	
				
T15 sky blue	T16 light blue	T17 blue	T18 navy blue	

* colours may vary slightly from the real colours

current color database at www.techmed.com.pl

PROJECTS





technique in medicine

Zakład Techniki Medycznej „Tech-Med” Sp. z o.o.

ul. Piękna 13, 85-303 Bydgoszcz

Tel. +48 52 360-58-50 ÷ 89

Fax + 48 52 360-58-80

e-mail:

export@techmed.com.pl

sprzedaz@techmed.com.pl

www.techmed.com.pl

